



MOTOROLA SOLUTIONS

MOTOTRBO[™] **PROFESSIONAL SERIES RADIO ACCESSORIES** THE POWER OF YOUR RADIO UNLEASHED



YOUR BATTERY, SAFER, **SMARTER**, **POWERED FOR LONGER**



MOTOTRBO PORTABLE **RADIOS**

MOTOTRBO radios are already best in class, but to help you work at your best, you need enhancements targeted to your specific workplace. We've developed a line of accessories with unique features designed to optimise the performance of your radio in your work environment, unleashing the full power of the industry's most advanced digital radio platform.

IMPRES[™] BATTERIES AND CHARGERS: YOUR BATTERY, SAFER, SMARTER, POWERED FOR LONGER

Get rid of the guesswork and get more from every battery.

Get the most out of every battery and eliminate the surprise of "low battery alerts". IMPRES chargers tell you exactly how much capacity is in an IMPRES battery before you attach it to your radio and exactly when an IMPRES battery has reached the end of service life.

Enjoy 43% longer battery life from IMPRES over non-IMPRES batteries – without spending maintenance or record keeping time and effort. With IMPRES Battery Fleet Management Software, you can check the status of 25 or 25,000 batteries at a glance, from one computer.

IMPRES[™] AUDIO

Make sure every word is heard regardless of the level or direction you're speaking into the accessory. Be clearly

heard the first time and eliminate repeating yourself. Whether you need to talk loudly or quietly, into or away from the accessory, IMPRES Audio lowers the loud talker level and raises the soft talker level automatically so listeners do not have to adjust the volume depending on who is talking.

Policing a busy airport, fixing equipment on a noisy production floor or assisting quests in a guiet hotel, IMPRES Audio promises a high quality communication experience.

> Experience IMPRES Audio

WINDPORTING

Communicate clearly in difficult weather. Wherever you work - in howling wind, driving rain, and severe weather -Windporting helps you communicate effectively and listeners hear clearly.

Windporting technology eliminates the whining and howling sounds of wind blowing across your lapel/remote speaker microphone. It also prevents water from clogging the microphone for clearer transmissions.

> Hear the difference Windporting makes

INTELLIGENT AUDIO

Focus on your job instead of your radio volume. Make

adjusting your radio volume based on background noise a thing of the past. Intelligent Audio listens to sounds in the background and automatically raises or lowers your radio volume so you can always hear. If you're heading from a noisy area to a guiet place, you won't disturb others because you forgot to adjust the volume.

Intelligent Audio when complemented with IMPRES Audio takes your communications to a new level.

> See Intelligent Audio in action

OPERATIONS CRITICAL WIRELESS: YOUR RADIO, UNLEASHED

Work with your radio like never before. Place your radio on a desk or cart, in a purse, medical bag or backpack and converse seamlessly with your wireless earpiece up to 10 metres away from your radio. Put your wireless PTT where you want to - on a clipboard, steering wheel or coat pocket - without wires getting in the way. Motorola Solutions' Bluetooth enabled radios allow both an Operations Critical Wireless PTT and audio accessory to be connected and used at the same time. And Operations Critical Wireless accessories last up to 10 hours - up to 3 times the battery life of commercial Bluetooth® headsets.



DP3441 SERIES DP3441e SERIES **DP4000 EX SERIES**

DP2000 SERIES DP2000e SERIES

Million .

ONLY MOTOROLA SOLUTIONS OFFERS A WEALTH OF EXCLUSIVE AUDIO FEATURES THAT ENSURE YOUR MESSAGE IS HEARD EVEN IN THE MOST DEMANDING WORK CONDITIONS

IMPRES™ AUDIO: I HEAR YOU, HOWEVER YOU SPEAK	DUAL MICROPHONE AUDIO: I HEAR YOU, EVEN WHEN YOU CAN'T HEAR YOURSELF	WINDPORTIN AUDIO: I HEAI NOT THE WIN
Ensure your voice is heard clearer, crisper, and louder regardless of level or direction you're speaking into the accessory.	Virtually blocks out all background noise in demanding and extreme noise environments so you can always communicate clearly.	Reduce the ef of wind and o outdoor noise your message always heard





DP3000 SERIES



DP4000 SERIES DP4000e SERIES



SL4010 SERIES SI 4010e SERIES

R YOU,

fect ther S S0 s are clearly. **NOISE-CANCELLING** AUDIO: I HEAR YOU. **NOT THE NOISE**

Reduce the effect of background crowd and machinery noise so your messages are always heard clearly

INTELLIGENT AUDIO: YOUR CALLS. ALWAYS AT THE PERFECT VOLUME

Set your volume once. Depend on your accessory to listen for changes in background noise, adjusting the volume automatically so you hear every call.

WHAT ARE THE BENEFITS OF THE INDUSTRIAL NOISE CANCELLING (INC) **REMOTE SPEAKER MICROPHONE?**

SUPPRESSES HIGH NOISE SO YOU HEAR CLEARLY - The dual-microphone design suppresses background noise so your message gets through. The large 1-watt speaker delivers the loudest, clearest audio available – up to 25% more than other MOTOTRBO RSMs.

WEAR IT WHILE YOU WORK AND COMMUNICATE FREELY - Best practice is always to speak directly into your RSM. This is especially important in high noise environments. In moderate noise environments the INC RSM allows you to clip the RSM to your shoulder or lapel and talk freely with a touch of the prominent push-to-talk button.

EASY TO CLEAN DIRT, GRIT AND DEBRIS – Debris and fine particles can clog remote speaker microphones and reduce the quality of your voice transmissions. With the INC RSM, simply vacuum out the speaker grill (when dry), then brush out the debris using soapy water, rinse and you are ready to go. > Experience Dual-Microphone Noise Suppression

WHICH MICROPHONE IS RIGHT FOR ME?

WINDPORTING - for outdoor, demanding weather, high winds, rain (keep on the shoulder or in front of your mouth).

> Hear the Difference Windporting Makes

INDUSTRIAL NOISE CANCELLING (DUAL MICROPHONE NOISE SUPPRESSION) - loud, industrial, outdoor, rain, dusty/dirty environments. To optimise its noise suppression capabilities, hold the RSM 1" directly in front of your mouth or turn your head toward the RSM on your shoulder and speak into the closest microphone on the RSM; also washable.

NOISE-CANCELLING – noisy, indoor environments. To optimise its noise reduction capabilities, hold the microphone in the correct use position directly in front of your mouth, facing the source of the noise (as shown in photo).

COMPATIBILITY	ACCESSORY			FEATURES									VERTICAL M	ARKETS: Recomme	ndations based o	on typical use case	e for each of ver	rticals listed	
	ER MICROPHONES Out ven in loud environments.	robust portfolio includes Remote Speaker Mi	icrophones and se	condary audi	o accessories	engineered to give yo	u clearer	All remote sp	eaker micropl	nones are b	uilt with to	p quality mat	erials includi	ng durable Ke	vlar® cables	that survive t	ough worki	ng condition	S.
PORTABLE RADIOS	REMOTE SPEAKER MICROPHONES	DESCRIPTION	PART NUMBER	IMPRES	INTELLIGENT AUDIO	WINDPORTING, NOISE-CANCELLING OR DUAL MIC. NOISE SUPPRESSION	VOLUME CONTROL (HIGH/LOW)	PROGRAMMABLE BUTTON	AUDIO JACK (3.5 MM)	IP RATING	INTRINSIC Safety Rating**	SIZE (MM)	TRANSPORTATION AND LOGISTICS	MANUFACTURING AND CONSTRUCTION	UTILITIES OR PUBLIC SERVICE	OIL AND GAS	PRIVATE SECURITY	HOSPITALITY AND RETAIL	EDUCATION (CAMPUSES
	80	Windporting Remote Speaker Microphone with 3.5mm audio jack, small (IP54)	PMMN4024		•	Windporting				IP54	FM TIA	Small 55 x 60 x 27 (without clip)	•	•	•		•	•	•
4		IMPRES Windporting Remote Speaker Microphone with 3.5mm audio jack and emergency button, small (IP54)	PMMN4025	•	•	Windporting			J	IP54	FM TIA	Small 55 x 60 x 27 (without clip)	•	•	•		•	•	•
DP3000 SERIES	13	Windporting Remote Speaker Microphone, small, submersible (IP57)	PMMN4040		•	Windporting				▲ IP57	FM TIA	Small 55 x 60 x 27 (without clip)	•	•	•	•			
		IMPRES Windporting Remote Speaker Microphone with volume control, emergency button and programmable button, large, submersible (IP57)	PMMN4046	•		Windporting		, Č		♦ IP57	FM TIA	Large 60 x 78 x 28 (without clip)	•	•	•	•			
DP4000 DP4000e SERIES	023	IMPRES Noise-Cancelling Remote Speaker Microphone with 3.5mm audio jack, large (IP54)	PMMN4050	•		Noise- Cancelling				IP54	FM TIA	Large 60 x 78 x 28 (without clip)		•		•		•	•
	6	IMPRES Industrial Noise Cancelling (INC) Dual Mic. Noise Suppression Remote Speaker Microphone, submersible (IP57)	NNTN8382	•		Dual Mic. Noise Suppression	è			♦ IP57	TIA	Large 60 x 78 x 28 (without clip)	•	•	•		•	•	•
	6	IMPRES Industrial Noise Cancelling (INC) Dual Mic. Noise Suppression Remote Speaker Microphone with 3.5 mm threaded audio jack (IP54)	NNTN8383	•		Dual Mic. Noise Suppression	7		1	IP54	TIA	Large 60 x 78 x 28 (without clip)	•	•	•		•	•	•

PROGRAMMABLE BUTTON: This programmable button allows you to access key features while you keep your radio on your belt or hidden under a jacket.

IP RATING: The international standard for rating dust and water protection. The first digit represents the level of dust protection: 5 provides excellent protection from dust. The second digit represents water protection. IP54 provides protection from water sprayed from all directions, IP55 protects against driving rain, and IP57 resists submersion in 1 meter of fresh water for 30 minutes

INTRINSIC SAFETY RATING: Motorola Solutions approved accessories are a critical part of the overall radio system certified by a recognised testing organisation as intrinsically safe. Non-Motorola Solutions approved accessories may not be certified for MOTOTRBO and if used, could result in equipment that is NOT approved or unsafe in a hazardous environment.



****NOTE:** TIA = TIA4950 Intrinsic Safety Rating; FM = FM 1988 Intrinsic Safety rating Accessories with these ratings are approved for FM or TIA when connected to Intrinsically safe FM or TIA radio/battery system.

COMPATIBILITY	ACCESSORY			FEATURES									VERTICAL MAI	RKETS : Recomme	ndations based o	n typical use case	e for each of vei	ticals listed.	
REMOTE SPEAKE	ER MICROPHONES							All remote sp	eaker microp	hones are b	ouilt with top	quality mat	erials includin	g durable Ke	vlar® cables	that survive t	ough worki	ng condition	IS.
PORTABLE RADIOS	REMOTE SPEAKER MICROPHONES	DESCRIPTION	PART NUMBER	IMPRES	INTELLIGENT AUDIO	WINDPORTING OR NOISE-CANCELLING	VOLUME CONTROL (HIGH/LOW)	PROGRAMMABLE BUTTON	AUDIO JACK (3.5 MM)	IP RATING	INTRINSIC SAFETY RATING	SIZE (MM)	TRANSPORTATION AND LOGISTICS	MANUFACTURING AND CONSTRUCTION	UTILITIES OR PUBLIC SERVICE	OIL AND GAS	PRIVATE SECURITY	HOSPITALITY AND RETAIL	EDUCATION (CAMPUSES)
	9	IMPRES Windporting Remote Speaker Microphone (ATEX) with volume control and emergency button	PMMN4067	•		Windporting	•			IP64	ATEX	Large 60 x 78 x 28 (without clip)	•	•	•	•	٠	•	•
DP4000 EX SERIES	1-	IMPRES ATEX Active Noise Cancelling Remote Speaker Microphone (ATEX) with Large front PTT and side PTT, volume control, emergency button, programmable button, Nexus jack, 3.5mm locking jack (IP67)	PMMN4094	•	•	Noise- Cancelling	•	j	Nexus and 3.5mm locking	▲ IP67	ATEX	Large 68 x 94 x 29 (without clip)	•	•	•	•	•		
<u></u>		IMPRES Noise-Cancelling Remote Speaker Microphone with 3.5mm audio jack, large (IP54)	PMMN4071	•		Noise- Cancelling		•		IP54		Large 60 x 78 x 28 (without clip)		•				•	•
DP3441 DP3441e SERIES	9	IMPRES Windporting Remote Speaker Microphone with 3.5mm audio jack, small (IP55)	PMMN4073	•		Windporting				IP55		Small 55 x 60 x 27 (without clip)	•		•		•	•	•
	9	Windporting Remote Speaker Microphone, small, submersible (IP57)	PMMN4075		•	Windporting				● IP57		Small 55 x 60 x 27 (without clip)	•		•		•		
DP2000 DP2000e SERIES	2	Windporting Remote Speaker Microphone with 3.5mm audio jack, small (IP54)	PMMN4076		•	Windporting				IP54		Small 55 x 60 x 27 (without clip)	•		•		•	•	•

COMPATIBILITY	ACCESSORY			FEATURES	
		CESSORIES WITH STANDARD 3.5MM environmentations more discreetly.	JACK		
PORTABLE RADIOS	RSM ACCESSORIES	DESCRIPTION	PART NUMBER	EARPIECE TYPE	INTRINSIC SAFETY RATING
Υ,	N	Receive-Only Covered Earbud with coiled cord	AARLN4885	Foam Covered Earbud	FM TIA
AUDIO	A	Receive-Only Earpiece with translucent tube and rubber eartip	RLN4941	Clear Rubber Eartip	FM TIA
JACK (3.5 MM) DP3441 DP3441e	60	Receive-Only Earpiece with translucent tube and rubber eartip	PMLN7560	Clear Rubber Eartip	
SERIES DP2000 DP2000e SERIES	¢9	Receive-Only Flexible Earpiece	WADN4190	Over-the-ear	FM TIA
DP3000 SERIES DP4000		Receive-Only D-Shell Earpiece	PMLN4620	Over-the-ear	FM TIA
DP4000e SERIES	CZ.	D-Shell Adjustable Earpiece	PMLN7396	Over-the-ear	
DP4000 DP4000e SERIES	\square	Replacement Coil Cord Kit for PMMN4024 and PMMN4040	RLN6074		
DP4000 EX SERIES	C	Replacement Coil Cord Kit for PMMN4025, PMMN4046 and PMMN4050	RLN6075		
	-5	ATEX/IECEx 3.5 mm Earpiece with Translucent Tube (RX only) for PMMN4094 only	PMLN7188	Clear Rubber Eartip	ATEX

COMPATIBILITY	ACCESSORY ER MICROPHONE AC	CESSORIES WITH THREADED 3.5MM	JACK	FEATURES	
ORTABLE RADIOS	RSM ACCESSORIES	DESCRIPTION	PART NUMBER	EARPIECE TYPE	INTRINSIC SAFETY RATING
REMOTE SPEAKER MICROPHONE	٢	One-wire Flexible Ear Receiver, black. Compatible with NNTN8383 only.	BDN6719	Over-the-ear	TIA
DP3000 SERIES	(p)	One-wire Earpiece, black. Compatible with NNTN8383 only.	BDN6726	Over-the-ear	TIA
DP4000 DP4000e SERIES	0	Extra Loud One-wire Earpiece, black. Compatible with NNTN8383 only.	BDN6727	Over-the-ear	TIA

COMPATIBILITY	ACCESSORY			FEATURES
REMOTE SPEAKE	R MICROPHONE ACC	ESSORIES WITH THREADED 3.5MM J	ACK	
PORTABLE RADIOS	RSM ACCESSORIES	DESCRIPTION	PART NUMBER	EARPIECE TYPE
	Ø.	One-wire Earpiece with Clear Acoustic Tube, black. Compatible with NNTN8383 only.	RLN5313	Rubber Eartip
DP3000 SERIES	1	Dual Muff Headband Style Headset. Compatible with NNTN8383 only.	RMN4056	Over-the-head
DP4000 DP4000e SERIES		Dual Muff Hard hat Mount Headset. Compatible with NNTN8383 only.	RMN4057	Helmet-Attached

COMPATIBILITY	ACCESSORY			FEATURES				
PUBLIC SAFETY	MICROPHONE ANTER	INAS						
PORTABLE RADIOS	ANTENNAS	DESCRIPTION	PART NUMBER	UHF / VHF / (800/900 MHz)	FREQUENCY BAND (MHz)	INTEGRATED GPS	LENGTH (CM)	TYPE
I	1	UHF Public Safety Microphone Antenna for the 403-433 MHz range	PMAE4046	UHF	403-433		9	Stubby
4		UHF Public Safety Microphone Antenna for the 430-470 MHz range	PMAE4047	UHF	430-470		9	Stubby
DP3000		VHF Public Safety Microphone Antenna for 136-153 MHz range	PMAD4087	VHF	136-153		11	Whip
SERIES		VHF Public Safety Microphone Antenna for 150-174 MHz range	PMAD4086	VHF	150-174		11	Whip



MPATIBILITY	ACCESSORY			FEATURES								VERTICAL MARKETS: Recomme	ndations based on ty	oical use case for e	ach of verticals lis	ted.	
UBLIC SAFETY IN improve reception	NICROPHONES Deliv	ver the same advanced features as our Remote	e Speaker Micropho	ones and also in	ncludes an antenna (purchased	separately)	All remote sp	eaker microp	hones are b	uilt with top	quality materials including	durable Kevlar ®	cables that su	ırvive tough v	vorking condit	tions.
RTABLE RADIOS	PUBLIC SAFETY Microphones	DESCRIPTION	PART NUMBER	IMPRES	WINDPORTING OR NOISE-CANCELLING	CABLE LENGTH (INCH)	VOLUME CONTROL (HIGH/LOW)	PROGRAMMABLE BUTTON	AUDIO JACK (3.5mm)	IP RATING	INTRINSIC SAFETY RATING	TRANSPORTATION AND LOGISTICS MANUFACTURING CONSTRUCTION	UTILITIES OR PUBLIC SERVICE	OIL AND GAS	PRIVATE SECURITY	HOSPITALITY AND RETAIL	EDUCATION (CAMPUSE
		IMPRES Windporting Public Safety Mic with 3.5mm audio jack, large (IP54)	PMMN4041	•	Windporting	30				IP54	FM		•		•		•
	2	IMPRES Windporting Public Safety Mic with 3.5mm audio jack, large (IP54)	PMMN4042	•	Windporting	24	-			IP54	FM		•		•		•
Ë		IMPRES Windporting Public Safety Mic with 3.5mm audio jack, large (IP54)	PMMN4043	•	Windporting	18	4	4		IP54	FM		•		•		•
DP3000 SERIES (UHF/VHF only)		IMPRES Windporting Public Safety Microphone, large, submersible (IP57)	PMMN4047	•	Windporting	30				♦ IP57	FM		•		•		
	1	IMPRES Windporting Public Safety Microphone, large, submersible (IP57)	PMMN4048	•	Windporting	24	-			♦ IP57	FM		•		•		
		IMPRES Windporting Public Safety Microphone, large, submersible (IP57)	PMMN4049	•	Windporting	18	-			♦ IP57	FM		•		•		



COMPATIBILITY	ACCESSORY			FEATURES							VERTICAL MA	RKETS: Recomme	ndations based (on typical use case	for each of vertica	als listed.	
SURVEILLANCE A cables that withstand	ACCESSORIES AND E d tough conditions. A qui	ARPIECES Transmit and receive discreethick-disconnect, durable and comfortable transmit	y with a variety of sur nslucent tube enables	veillance kits s easy sharing	that feature a s J between shift	streamlined design a s.	nd rugged	Two-wire kits hat Three-wire kits	ave one wire for receiv feature separate wires	ving transmissions an s for receiving transm	d one wire with issions, push-to	a combined mic talk and microp	rophone and p hone.	ush-to-talk.			
PORTABLE RADIOS	SURVEILLANCE ACCESSORIES	DESCRIPTION	PART NUMBER	IMPRES	INTELLIGENT AUDIO	EARPIECE TYPE	MICROPHONE	PTT	PROGRAMMABLE BUTTON	INTRINSIC SAFETY RATING	TRANSPORTATION AND LOGISTICS	MANUFACTURING AND CONSTRUCTION	UTILITIES OR Public Service	OIL AND GAS	PRIVATE SECURITY	HOSPITALITY AND RETAIL	EDUCATION (CAMPUSES)
	Dt	1-Wire Receive-only earpiece, black	PMLN6125		•	Earpiece				•					•	•	•
DP3000 SERIES	10	1-Wire Receive-only earpiece, beige	PMLN6126		•	Earpiece				•					•	•	•
	9	IMPRES 2-Wire Surveillance Kit, programmable button, black	PMLN6127	•	•	Earpiece	ě			•					•	•	•
DP4000 DP4000e SERIES	S	IMPRES 2-Wire Surveillance Kit, programmable button, beige	PMLN6128	•	•	Earpiece	7	7	Y	•					•	•	•

IMPRES AUDIO (MOTOROLA SOLUTIONS EXCLUSIVE): Ensure your voice is heard clearer, crisper, and louder regardless of level or direction you're speaking into the accessory.

INTELLIGENT AUDIO (MOTOROLA SOLUTIONS EXCLUSIVE): Set your volume once. Depend on your accessory to listen for changes in background noise, adjusting the volume automatically so you hear every call.

MICROPHONE AND PTT: Some accessories have a microphone on the same wire as push-to-talk (2-wire surveillance kit) or on a separate wire (3-wire surveillance kits). Microphones are small, easy to mount and hide during surveillance operations, yet powerful enough to pick up whispered transmissions and reduce ambient noise.

PROGRAMMABLE BUTTON: This programmable button allows you to access key features while you keep your radio on your belt or hidden under a jacket.

INTRINSIC SAFETY RATING: Motorola Solutions approved accessories are a critical part of the overall radio system certified by a recognised testing organisation as intrinsically safe. Non-Motorola Solutions approved accessories may not be certified for MOTOTRBO and if used, could result in equipment that is NOT approved or unsafe in a hazardous environment.

COMPATIBILITY	ACCESSORY			FEATURES							VERTICAL MARKETS: Recomme	ndations based or	typical use case	for each of vertica	als listed.	
SURVEILLANCE A	ACCESSORIES AND E/	ARPIECES														
PORTABLE RADIOS	SURVEILLANCE ACCESSORIES	DESCRIPTION	PART NUMBER	IMPRES	INTELLIGENT AUDIO	EARPIECE TYPE	MICROPHONE	PTT	PROGRAMMABLE BUTTON	INTRINSIC SAFETY RATING	TRANSPORTATION AND LOGISTICS AND CONSTRUCTION	UTILITIES OR PUBLIC SERVICE	OIL AND GAS	PRIVATE SECURITY	HOSPITALITY AND RETAIL	EDUCATION (CAMPUSES)
		1-Wire Surveillance Kit with translucent tube, in-line microphone and PTT, black	NNTN8459			Clear Rubber Eartip		-à-						•	•	•
	0	IMPRES 2-Wire Surveillance Kit with translucent tube, programmable button, black	PMLN6129	•	•	Clear Rubber Eartip	Ť			•				•	•	•
DP3000 SERIES	De la	IMPRES 2-Wire Surveillance Kit with translucent tube, programmable button, beige	PMLN6130	•	•	Clear Rubber Eartip	7	1	1	•				•	•	•
DP4000 DP4000e SENIES	.08	IMPRES 3-Wire Surveillance Kit with translucent tube, programmable button, black	PMLN6123	•	•	Clear Rubber Eartip				•				•	•	•
	B	IMPRES 3-Wire Surveillance Kit with translucent tube, programmable button, beige	PMLN6124	•	•	Clear Rubber Eartip		1	1	•				•	•	•
		2-Wire Surveillance Kit with translucent tube, black	PMLN5724		•	Clear Rubber Eartip								•	•	•
	÷.	2-Wire Surveillance Kit with translucent tube, beige	PMLN5726		•	Clear Rubber Eartip								•	•	•
DP2000 DP2000e SERIES	2	2-Wire Surveillance Kit with translucent tube, black	PMLN7269		•	Clear Rubber Eartip								•	•	•
4		2-Wire Surveillance Kit with translucent tube, beige	PMLN7270		•	Clear Rubber Eartip								•	•	•
DP3441 DP3441e SERIES	-08	IMPRES 3-Wire Surveillance Kit with quick disconnect translucent tube, programmable button, black	PMLN6754	•	•	Clear Rubber Eartip								•	•	•
	0	IMPRES 3-Wire Surveillance Kit with quick disconnect translucent tube, programmable button, beige	PMLN6755		•	Clear Rubber Eartip		ľ	ľ					•	•	•
SL4010 SL4010e SERIES	S.	1-Wire Surveillance Kit with in-line mic and push-to-talk, black	PMLN7158			Clear Rubber Eartip		ý				•		•	•	•

CATALOGUE MOTOTRBO PROFESSIONAL SERIES RADIO ACCESSORIES

COMPATIBILITY	ACCESSORY			FEATURES	
SURVEILLANCE A	CCESSORY REPLACE	MENT KITS			
PORTABLE RADIOS	REPLACEMENT KITS	DESCRIPTION	PART NUMBER	EARPIECE TYPE	COMPATIBLE SURVEILLANCE KITS
		Low Noise Kit with translucent tube and 1 clear rubber eartip	RLN6242	Clear Rubber Eartip	PMLN6123, PMLN6124 PMLN6129, PMLN6130 NNTN8459, RLN4941, PMLN7269, PMLN7270, PMLN6754, PMLN6755, PMLN7560
	Q .	Note: for High noise kit solution combine RLN6 Kit and 5080384F72 Replacement Foam Plugs	242 Low Noise	Foam Eartip	PMLN6123, PMLN6124 PMLN6129, PMLN6130 NNTN8459, RLN4941, PMLN7269, PMLN7270, PMLN6754, PMLN6755, PMLN7560
DP3000 SERIES	I Th	Replacement standard clear rubber eartip. Pack of 50	RLN6282	Clear Rubber Eartip	PMLN6123, PMLN6124 PLMN6127, PMLN6128 PMLN6129, PMLN6130 NNTN8459, RLN5882 RLN5883, PMLN5111
DP4000		Replacement Foam Plugs for RLN6242. Noise reduction = 24 dB. Pack of 50 pairs	5080384F72	Foam Eartip	PMLN5112, PMLN6125 PMLN6126, RLN4941, PMLN7269, PMLN7270, PMLN6754, PMLN6755, PMLN7560
DP4000 DP4000e SERIES	<u>S</u>	Low Noise Kit with 1 clear rubber eartip	RLN5886	Clear Rubber Eartip	RLN5882 RLN5883 PMLN5111
	15	High Noise Kit with 2 foam earplugs	RLN5887	Foam Eartip	PMLN5112 PMLN6125 PMLN6126
DP3441 / DP3441e SERIES DP2000 / DP2000e SERIES SL4010 / SL4010e SERIES	*	Replacement standard clear rubber eartip. Pack of 10 (replacement for PMLN5724/PMLN5726 and PMLN5957)	67009254001	Clear Rubber Eartip	PMLN5724 PMLN5726 PMLN5957
DP3441 / DP3441e SERIES DP2000 / DP2000e SERIES		Replacement quick disconnect translucent tube with 1 clear rubber eartip (replacement for PMLN5724/26)	HKLN4478	Clear Rubber Eartip	PMLN5724 PMLN5726
SL4010 / SL4010e SERIES	N	Replacement quick disconnect translucent tube with 1 clear rubber eartip (replacement for PMLN5957)	PMLN6175	Clear Rubber Eartip	PMLN5957
14	1				



CATALOGUE MOTOTRBO PROFESSIONAL SERIES RADIO ACCESSORIES

MOTOTRBO PORTABLE RADIOS

COMPATIBILITY	ACCESSORY			FEATURES	
	CCESSORY REPLACE	EMENT KITS			
PORTABLE RADIOS	REPLACEMENT KITS	DESCRIPTION	PART NUMBER	EARPIECE TYPE	COMPATIBLE SURVEILLANCE KITS
		Small Custom Earpiece - Right Ear	RLN4760	Custom Earpiece	
	Ð	Medium Custom Earpiece - Right Ear	RLN4761	Custom Earpiece	
<u> </u>		Large Custom Earpiece - Right Ear	RLN4762	Custom Earpiece	
DP3000 SERIES		Small Custom Earpiece - Left Ear	RLN4763	Custom Earpiece	
DP4000 DP4000e SERIES	Č	Medium Custom Earpiece - Left Ear	RLN4764	Custom Earpiece	
SL4010 SL4010e SERIES		Large Custom Earpiece - Left Ear	RLN4765	Custom Earpiece	
		Clear EP7-Small Hearing Protectors [Sonic Defenders] Ultra Earplugs Noise reduction =28 dB	RLN6511	Comply™ foam eartip	RLN5313, RLN4941,
	83 80	Clear EP7-Medium Hearing Protectors [Sonic Defenders] Ultra Earplugs Noise reduction =28 dB	RLN6512	Comply™foam eartip	NNTN8459, RLN5882, RLN5883, PMLN5111, PMLN5112, PMLN6123, PMLN6124, PMLN6125, PMLN6126, PMLN6127, PMLN6128, PMLN6129, PMLN6130, RLN4941, PMLN7269, PMLN7270, PMLN7269, PMLN7270, PMLN6754, PMLN6755,
		Clear EP7-Large Hearing Protectors [Sonic Defenders] Ultra Earplugs Noise reduction =28 dB	RLN6513	Comply™foam eartip	PMLN7560



OPTIMISED FOR DIGITAL

Make sure to only use Motorola Solutions approved and certified MOTOTRBO audio accessories, as these accessories have been optimised for performance in both digital and analogue modes. You may experience chopper noise if Motorola Solutions digital approved accessories are not used.

> <u>See what Chopper Noise sounds like</u>



COMPATIBILITY	ACCESSORY			FEATURES				VERTICAL I use case fo	MARKETS: Recommend or each of verticals listed	ations based on t	ypical
EARPIECES											
PORTABLE RADIOS	EARPIECES	DESCRIPTION	PART NUMBER	EARPIECE TYPE	MICROPHONE	PTT	INTRINSIC SAFETY RATING	PRIVATE SECURITY	MANUFACTURING AND CONSTRUCTION	HOSPITALITY AND RETAIL	EDUCATION (CAMPUSES)
DP2000 DP2000e SERIES	Ì	Adjustable D-style earpiece with in-line microphone and push-to-talk, black	PMLN6757	Adjustable D-Style	In-Line	In-Line		•	•	•	•
DP3000 SERIES DP4000 DP4000e SERIES	6.3	D-Style Earset with boom microphone and in-line push-to-talk	PMLN5096	D-Style	Boom	In-Line	FM	•	•	•	•
đ	2.00	Swivel Earpiece with in-line microphone and push-to-talk	PMLN7189	Over-the-ear	Over-the-ear	In-Line		•		•	•
SL4010 SL4010e SERIES	Se la construction de la constru	Adjustable D-style earpiece with in-line microphone and push-to-talk, black	PMLN7159	D-Style	In-Line	In-Line		•		•	•
MAG ONE [™] ACCE	SSORIES										
<u></u>	J	Mag One Earbud with in-line microphone and push-to-talk	PMLN5733	Earbud	In-Line	In-Line		•		•	•
DP3441 DP3441e SERIES	3	Mag One Swivel Earpiece with in-line microphone and push-to-talk	PMLN5727	Over-the-Ear	In-Line	In-Line		•		•	•
DP2000 DP2000e SERIES	62	Mag One Earset with boom microphone and in-line push-to-talk	PMLN5732	Earset	In-Line	In-Line		•		•	•

HOW DO TEMPLE TRANSDUCERS WORK?

These headsets use transducers that rest on your temple to convert audio into sound vibration and transmit it to your inner ear. If you're using hearing protection or directing heavy traffic, you can hear the audio from your radio and the surrounding environment. Since the transducer sits in front of your ears, you can also wear earplugs and still hear the radio.



COMPATIBILITY	ACCESSORY			FEATURES					MARKETS: Recommend or each of verticals liste		ypical
EARPIECES											
PORTABLE RADIOS	EARPIECES	DESCRIPTION	PART NUMBER	EARPIECE TYPE	MICROPHONE	PTT	INTRINSIC SAFETY RATING	PRIVATE SECURITY	MANUFACTURING AND CONSTRUCTION	HOSPITALITY AND RETAIL	EDUCATION (CAMPUSES)
	No.	Mag One Earbud with in-line microphone and push-to-talk	PMLN6069	Earbud	In-Line	In-Line		•		•	•
	1 a	Mag One Flexible Earpiece with in-line microphone and push-to-talk	PMLN5973	Over-the-Ear	In-Line	In-Line		•		•	•
DP4000 DP4000e SERIES	2	Mag One Swivel Earpiece with in-line microphone and push-to-talk	PMLN5975	Over-the-Ear	In-Line	In-Line		•		•	•
		Mag One Earset with boom microphone and in-line push-to-talk	PMLN5976	Earset	In-Line	In-Line		•		•	•

COMPATIBILITY	ACCESSORY			FEATURES								VERTICAL MA	RKETS: Recommenda
HEADSETS													
PORTABLE RADIOS	HEADSETS	DESCRIPTION	PART NUMBER	HEADSET TYPE	EARPIECE STYLE	IMPRES	INTELLIGENT AUDIO	MICROPHONE	PTT	WEIGHT	INTRINSIC Safety Rating	TRANSPORTATION AND LOGISTICS	MANUFACTURING AND CONSTRUCTION
	Ð	Heavy-Duty Headset with Noise-Cancelling boom mic and in-line push-to-talk, noise reduction = 24 dB (See user guide for replacement parts)	PMLN5731	Over-the-Head	Dual-Ear		•	Boom	In-Line	Heavy Duty	FM TIA	•	•
	C	Lightweight Over-the-Head Headset single muff with in-line push-to-talk and boom mic	PMLN6635	Over-the-Head	Single-Ear			Boom	In-Line	Lightweight			•
DP2000 DP2000e SERIES	A	Heavy Duty Behind-the-Head Headset with Noise-Cancelling boom microphone, noise reduction = 24dB (See user guide for replacement parts)	PMLN6760	Behind-the-Head	Dual-Ear		•	Boom	On Ear Cup	Heavy Duty		•	•
DP3441 DP3441e Series	204	Heavy Duty Behind-the-Head Headset with Noise-Cancelling boom microphone, noise reduction = 24 dB, UL TIA 4950	PMLN6763	Behind-the-Head	Dual Muff		•	Boom	On Ear Cup	Heavy Duty	TIA	•	•
	6	Heavy Duty Over-the-Head Headset with Noise-Cancelling boom microphone, noise reduction=24 dB (See user guide for replacement parts)	PMLN7464	Over-the-Head	Dual Muff		•	Boom	On Ear Cup	Heavy Duty	TIA	•	•
, d	\$	Mag One Ultra-Lite Behind-the-Head Headset, single muff with in-line push-to- talk and boom mic (Replacement parts: 6104000K01–Windscreen; 4204005K01– Clothing clip)	PMLN6761	Behind-the-Head	Single-Ear		•	Boom	In-Line	Ultra Lightweight			•
DP2000 DP2000e SERIES	E.	IMPRES Temple Transducer with boom microphone and in-line push-to-talk	PMLN6759	Behind-the-Head	Bone Conductor	•	•	Boom	In-Line	Lightweight		•	•



ndations based on typical use case for each of verticals listed. UTILITIES OR PUBLIC SERVICE PRIVATE SECURITY HOSPITALITY AND RETAIL EDUCATION (CAMPUSES) OIL AND GAS

COMPATIBILITY	ACCESSORY			FEATURES								VERTICAL MA	RKETS: Recomme	ndations based or	typical use case	for each of vertica	als listed.	
HEADSETS																		
PORTABLE RADIOS	HEADSETS	DESCRIPTION	PART NUMBER	HEADSET TYPE	EARPIECE STYLE	IMPRES	INTELLIGENT AUDIO	MICROPHONE	PTT	WEIGHT	INTRINSIC SAFETY RATING	TRANSPORTATION AND LOGISTICS	MANUFACTURING AND CONSTRUCTION	UTILITIES OR Public Service	OIL AND GAS	PRIVATE SECURITY	HOSPITALITY AND RETAIL	EDUCATION (CAMPUSES)
DP4000 DP4000e SERIES	A	Heavy Duty Behind-the-Head Headset with Noise-Cancelling boom microphone, noise reduction = 24 dB, UL TIA 4950	PMLN6853	Behind-the-Head	Dual Muff		•	Boom	On Ear Cup	Heavy Duty	TIA	•	•	•	•			
I	20	Heavy Duty Behind-the-Head Headset with Noise-Cancelling boom microphone, noise reduction = 24 dB	PMLN6852	Behind-the-Head	Dual Muff		•	Boom	On Ear Cup	Heavy Duty		•	•	•	•			
Ċ.	•	Heavy Duty Over-the-Head Headset with Noise-Cancelling boom microphone, noise reduction=24 dB (See user guide for replacement parts)	PMLN7466	Over-the-Head	Dual Muff		•	Boom	On Ear Cup	Heavy Duty		•	•	•	•			
DP3000 SERIES	Ś	IMPRES Temple Transducer with boom microphone and in-line push-to-talk	PMLN5101	Behind-the-Head	Bone Conductor	•	•	Boom	In-Line	Lightweight	FM	•	•	•	•	•		•
DP4000 DP4000e SERIES	Ċŝ	Lightweight Over-the-Head Headset single muff with in-line push-to-talk and boom mic	RMN5058	Over-the-Head	Single-Ear		•	Boom	In-Line	Lightweight	FM TIA		•	•		•	•	•
SERIES		Ultra-Lite Behind-the-Head Headset, single muff with in-line push-to-talk and boom mic (Replacement parts: 6104000K01-Windscreen; 4204005K01-Clothing clip)	PMLN5102	Behind-the-Head	Single-Ear		•	Boom	In-Line	Ultra Lightweight	FM TIA		•	•		•	•	•
TACTICAL				1														
	9 -b	Tactical PTT Only Interface Module	PMLN6827									•	•	٠		•		•
DP3000 SERIES	6	Tactical Temple Transducer with noise cancelling boom microphone (requires interface module PMLN6827)	PMLN6833	Over-the-Head	Bone Conductor			Boom	Interface module PMLN6827	Heavy Duty		•	•	•		•		٠
	00	Tactical Remote Body PTT (for use with interface module PMLN6827)	PMLN6767									•	•	•		•		•
DP4000 DP4000e SERIES	R	Tactical Remote Ring PTT (for use with interface module PMLN6827)	PMLN6830									•	•	٠		•		•
MAG ONE [™] ACCE	ESSORIES																	
DP4000 DP4000e SERIES		Mag One Lightweight Over-the-Head Headset single muff with in-line push-to-talk and boom mic	PMLN5974	Over-the-Head	Single-Ear			Boom	In-Line	Lightweight			•	•		•	•	•

COMPATIBILITY	ACCESSORY			FEATURES							VERTICAL MAR	KETS: Recommendati	ons based on typica	l use case for each of	verticals listed.		
3M PELTOR HEAI	DSETS																
PORTABLE RADIOS	HEADSETS	DESCRIPTION	PART NUMBER	HEADSET TYPE	CONNECTOR TYPE	SPEAKER	SINGLE NOISE RATING (SNR)	MICROPHONE	PTT	INTRINSIC SAFETY RATING	TRANSPORTATION AND LOGISTICS	MANUFACTURING AND CONSTRUCTION	UTILITIES OR PUBLIC SERVICE	OIL AND GAS	PRIVATE SECURITY	HOSPITALITY AND RETAIL	EDUCATION (CAMPUSES)
	ß	Heavy Duty Headset with over-the-head headband and boom microphone (ATEX)	PMLN6087	Over-the-Head	Nexus	Dual-Ear	SNR=33 dB H=33 dB M=31 dB L=23 dB	Boom	Requires RSM PMMN4094 or PTT Adapter PMLN6368	ATEX	•	•	•	•			
	5,	Heavy Duty Headset with helmet attachment and boom microphone (ATEX)	PMLN6092	Helmet Attach	Nexus	Dual-Ear	SNR=32 dB H=33 dB M=32 dB L=24 dB	Boom	Requires RSM PMMN4094 or PTT Adapter PMLN6368	ATEX	•	•	•	•			
DP4000 EX SERIES		Twin Cup Heavy Duty Headset with helmet attachment, boom microphone and extra high-attenuating twin shells (ATEX)	PMLN6333	Helmet Attach	Nexus	Dual-Ear	SNR=33 db H=33 db M=31 db L=24 db	Boom	Requires RSM PMMN4094 or PTT Adapter PMLN6368	ATEX	•	•	•	•			
	G.	Tactical Heavy Duty Headset with over- the-head headband and boom microphone, includes volume control (ATEX)	PMLN6090	Over-the-Head	Nexus	Dual-Ear	SNR=30 dB H=33 dB M=28 dB L=20 dB	Boom	Requires RSM PMMN4094 or PTT Adapter PMLN6368	ATEX	•	•	•	•			
	2	Tactical Heavy Duty Headset with helmet attachment and boom microphone, includes volume control (ATEX)	PMLN6089	Helmet Attach	Nexus	Dual-Ear	SNR=31 dB H=32 dB M=29 dB L=20 dB	Boom	Requires RSM PMMN4094 or PTT Adapter PMLN6368	ATEX	•	•	•	•			

COMPATIBILITY	ACCESSORY		
AUDIO ACCESSOF	AN ADAPTER		
PORTABLE RADIOS	AUDIO ACCESSORY Adapter	DESCRIPTION	PART NUMBER
DP4000 EX SERIES		ATEX Push to Talk Adapter, must be ordered with any Peltor headset (PMMN4094 can also be used to connect to Peltor headset)	PMLN6368

SINGLE NOISE RATING: Signal-to-noise ratio (often abbreviated SNR or S/N) is a measure used in science and engineering that compares the level of a desired signal to the level of background noise. It is defined as the ratio of signal power to the noise power, often expressed in decibels.

MICROPHONE AND PTT: Some accessories have a microphone on the same wire as pushto-talk (2-wire surveillance kit) or on a separate wire (3-wire surveillance kits). Microphones are small, easy to mount and hide during surveillance operations, yet powerful enough to pick up whispered transmissions and reduce ambient noise.





XBT HEAVY-DUTY WIRELESS HEADSET IN USE

It's the middle of a shift and with machinery running at full speed, your workplace is a noisy place to be. You need to communicate on your radio while still being aware of everything around you. XBT heavy-duty headsets connect wirelessly to your radio, suppressing noise for clearer communications. With patented SENS[™] situational awareness technology, these headsets ensure you'll hear critical communications from co-workers in the field with you.

> See the XBT Headset in action

COMPATIBILITY	ACCESSORY			FEATURES											VERTICAL MARK	ETS: Recommendation	s ba
OPERATIONS CRIT and stay connected w		JETOOTH® ACCESSORIES This portfolio i	s a game changer	, giving you the t	flexibility to re	move the r	adio from	your belt									
PORTABLE RADIOS	ACCESSORIES	DESCRIPTION	PART NUMBER	EARPIECE TYPE	MICROPHONE		TALK TIME (HOURS) 5/5/90 DUTY CYCLE	Charge Time (Hours)	WEIGHT (GRAMS)	OPERATIONS CRITICAL / ENHANCED OPERATIONS CRITICAL	TOUCH/ Standard Pairing	RANGE (METRES LINE OF SIGHT)	IP RATING	INTRINSIC SAFETY RATING	TRANSPORTATION AND LOGISTICS	MANUFACTURING AND CONSTRUCTION	UTII PUE
DP3000 SERIES DP4000 DP4000e	Q	XBT Operations Critical Wireless Behind- the-Neck Headset	RLN6490	Dual-Ear	Boom	On Ear Cup	22	7	429	Operations Critical	Standard	10	IP54		•	•	
SERIES SL4010 SL4010e SERIES	B.	XBT Operations Critical Wireless Headband Style Headset	RLN6491	Dual-Ear	Boom	On Ear Cup	22	7	422	Operations Critical	Standard	30	IP54		•	•	

EARPIECE TYPE: Choose the right fit for your operations – a simple, low cost, discreet earbud or the rugged, high performance CommPort[™] style earpiece.

MICROPHONE: The in-line microphone on the earbud earpiece is designed for general use, while the directional microphone on the CommPort[™] style earpiece is ideal for lower noise environments.

OPERATIONS CRITICAL/ENHANCED OPERATIONS CRITICAL: This Bluetooth® solution specifically for businesses features simple pairing, high quality audio and fast push-to-talk to ensure every word is transmitted. Enhanced Operations Critical Wireless has all this, plus instant pairing with just a touch of the accessory to the radio's Bluetooth





adapter, and intrinsically safe certification for hazardous environments. This means multiple workers on shifts who need grab-and-go device can all pair at the same time without connecting to the wrong radio.



HOW DO OPERATIONS CRITICAL WIRELESS ACCESSORIES HELP ME?

They free you from being physically connected to the radio. This means a line worker can put the radio on a shelf and communicate. A receptionist can place their radio out of sight and confer unobtrusively with staff while welcoming guests. Or a sports trainer can leave the radio in a medical bag while he tends to injured athletes on the field.

> See Operations Critical Wireless Accessories in action

MPATIBILITY	ACCESSORY			FEATURES												VERTICAL MARKE
d stay connected		UETOOTH® ACCESSORIES This portfolio i	s a game changer	, giving you the	flexibility to re	move the r	adio from	your belt								
RTABLE RADIOS	ACCESSORIES	DESCRIPTION	PART NUMBER	EARPIECE TYPE	MICROPHONE	PTT	TALK TIME (HOURS) 5/5/90 DUTY CYCLE	CHARGE TIME (HOURS)	WEIGHT (GRAMS)	SIZE (MILLIMETRES)	OPERATIONS CRITICAL/ ENHANCED OPERATIONS CRITICAL	TOUCH/ STANDARD PAIRING	RANGE (METRES LINE OF SIGHT)	IP RATING	INTRINSIC SAFETY RATING	TRANSPORTATION AND LOGISTICS
-	5	Operations Critical Wireless Earpiece with 12 inch cable (with ANZ transformer)	PMLN6050 with NTN2572	Over-the-ear (CommPort™)	Directional, above the Earpiece	On PTT Pod	10	3	43	70 x 41 x 25	Operations Critical	Standard	10	IP54	FM	•
DP3000 SERIES		Operations Critical Wireless push-to-talk pod (with ANZ transformer)	PMLN6050	N/A	N/A	On PTT Pod	10	3	43	70 x 41 x 25	Operations Critical	Standard	30	IP54	FM	•
DP4000 DP4000e SERIES	QC	Bluetooth Accessory Kit with swivel earpiece and battery clip (PTT on radio or with separate wireless PTT) This kit comes with swivel earpiece, wireless Pod and charger cradle (ANZ transformer [PS000042A14] is ordered separately)	PMLN6463	Over-the-ear (Swivel)	In-line	Radio only*	8		18	Without Clip: 44 x 32 x 12 With Clip: 44 x 32 x 16	Operations Critical	Standard	30			•
SL4010 SL4010e SERIES	Q.	Bluetooth Accessory Kit with Flexible Fit swivel earpiece with Boom Microphone and charging cradle (PTT on radio or with separate wireless PTT) This kit comes with the earpiece with boom microphone, wireless Pod and charger cradle (ANZ transformer [PS000042A14] is ordered separately)	PMLN7181	Over-the-ear (Swivel)	In-line	Radio only*	8		18	Without Clip: 44 x 32 x 12 With Clip: 44 x 32 x 16	Operations Critical	Standard	30			•

*Note: PTT on radio or with separate wireless PTT



COMPATIBILITY	ACCESSORY			FEATURES				VERTICAL MA	RKETS: Recommer	ndations based or	n typical use case	e for each of ver	ticals listed.	
OPERATIONS CI	RITICAL WIRELESS BL	UETOOTH® ACCESSORIES												
PORTABLE RADIOS	ACCESSORIES	DESCRIPTION	PART NUMBER	EARPIECE TYPE	MICROPHONE	PTT	OPERATIONS CRITICAL / ENHANCED OPERATIONS CRITICAL	TRANSPORTATION AND LOGISTICS	MANUFACTURING AND CONSTRUCTION	UTILITIES OR PUBLIC SERVICE	OIL AND GAS	PRIVATE SECURITY	HOSPITALITY AND RETAIL	EDUCATION (CAMPUSES)
OPERATIONS CI	RITICAL AND ENHANC	ED OPERATIONS CRITICAL WIRELESS	S ACCESSORIES											
4	$\langle \cdot \rangle$	Operations Critical Wireless Earbud with 11.5 inch cable	NNTN8294	Earbud	In-line	On Pod (order separately)	Operations Critical and Enhanced Operations Critical	•	•	•		•	•	•
DP3000 SERIES	3	Operations Critical Wireless Earbud with 45 inch cable	NNTN8295	Earbud	In-line	On Pod (order separately)	Operations Critical and Enhanced Operations Critical	•	•	•		•	•	•
E AAAA	55	Wireless Covert Kit (includes 2 sets of two-wire earbud (1 black and 1 white), a single-wire black earbud and a 3.5mm adapter to plug in any consumer off-the- shelf headphones)	NNTN8296	Earbud	In-line	On Pod (order separately)	Operations Critical and Enhanced Operations Critical					•		
DP4000 DP4000e SERIES	~~??	Swivel Earpiece with in-line microphone	HKLN4513	Over-the-Ear (Swivel)	In-line		Operations Critical	•	•	•		•	•	•
SL4010 SL4010e SERIES	2	Flexible Fit Swivel Earpiece with Boom Microphone Multi-Pack (3 pack) for MOTOTRBO Bluetooth Accessory Kit	PMLN7203	Over-the-Ear (Swivel)	Boom	Radio Only*	Operations Critical	•	•	•		•	•	•

*Note: PTT on radio or with separate wireless PTT

COMPATIBILITY	ACCESSORY			FEATURES				VERTICAL MA	RKETS:
OPERATIONS CRI	TICAL WIRELESS BLU	JETOOTH [®] ACCESSORIES							
PORTABLE RADIOS	ACCESSORIES	DESCRIPTION	PART NUMBER	EARPIECE TYPE	MICROPHONE	PTT	OPERATIONS CRITICAL/ ENHANCED OPERATIONS CRITICAL	TRANSPORTATION AND LOGISTICS	AND CONST
DP3000 SERIES	20	Completely Discreet Earpiece Kit (includes Phonak phonito intra earpiece and inductive neckloop)	RLN4922	Completely discreet	On Y-adapter (order separately)	On Pod (order separately)	Operations Critical or Operations Critical and Enhanced Operations Critical		
DP4000 DP4000e SERIES	2	Wireless Neckloop Y-adapter and retention hook	NNTN8385		Separate wire	On Pod (order separately)	Operations Critical or Operations Critical and Enhanced Operations Critical		
SL4010 SL4010e SERIES		Wireless Push-To-Talk Pod with ANZ plug charger	PMLN6050		On Y-adapter (order separately)	On PTT Pod	Operations Critical		





COMPATIBILITY	ACCESSORY			FEATURES								
MOTOROLA SOLI	JTIONS ORIGINAL®	TWO-WAY RADIO BATTERIES				TYPICAL	APPROXIMATE					
PORTABLE RADIOS	BATTERIES	DESCRIPTION	PART NUMBER	IMPRES	CHEMISTRY	RATED CAPACITY (mAh)	OPERATIONAL (HOURS) 5/5/90 LEGACY	TIME	DIMENSIONS (MILLIMETERES)	WEIGHT (MAX. GRAMS)	INTRINSIC SAFETY RATING	IP RATING
I		IMPRES Li-Ion 1600 mAh battery Submersible (IP57)	PMNN4066	•	Li-lon	1600	Analogue: 9 Digital: 13	N/A	129 x 55 x 21	145		♦ IP57
		IMPRES Li-Ion 1450 mAh battery Submersible (IP57), Intrinsically safe (FM)	PMNN4069	•	Li-lon	1450	Analogue: 8.5 Digital: 12	N/A	129 x 55 x 23	155	FM	♦ IP57
DP3000 SERIES		IMPRES Li-Ion 2250 mAh battery Submersible (IP57)	PMNN4077	•	Li-lon	2250	Analogue: 13 Digital: 18	N/A	129 x 55 x 23	160		♦ IP57
DP2000 DP2000e SERIES		IMPRES Li-Ion 1600 mAh battery (IP56)	PMNN4417	•	Li-lon	1600	Analogue: 8 Digital: 11.5	11 14.5	113 x 52 x 18	125		IP56
		IMPRES Slim Li-Ion 1600 mAh battery Submersible (IP67)	PMNN4407	•	Li-Ion	1600	Analogue: 8 Digital: 11.5	11 15	113 x 52 x 18	125		♦ IP67
		IMPRES Hi-Cap Li-Ion 2250 mAh battery Submersible (IP68)	PMNN4409	•	Li-lon	2250	Analogue: 11 Digital: 16.5	16 20.5	113 x 52 x 23	150		♦ IP68
DP2000 DP2000e SERIES		IMPRES Li-Ion 2100 mAh, slim high density battery (IP68)	PMNN4491	•	Li-lon	2100	Analogue: 12 Digital: 16	14 19	113 x 52 x 18	135		♦ IP68
É		IMPRES Hi-Cap Li-Ion 3000 mAh battery, low voltage (IP68)	PMNN4493	•	Li-lon	3000	Analogue: 13.5 Digital: 18	21 28	113 x 52 x 23	155		♦ IP68
DP4000 DP4000e SERIES		IMPRES 3000 mAh low voltage battery (PMMN4488) with Silent Alert Belt Clip (PMLN7296)	PMMN4499	•	Li-lon	3000	Analogue: 13.5 Digital: 18	21 28	113 x 52 x 23	155		♦ IP68
	1	IMPRES 3000 mAh low voltage battery for use with Silent Alert Belt Clip (PMLN7296); battery only	PMMN4488	•	Li-lon	3000	Analogue: 13.5 Digital: 18	21 28	113 x 52 x 23	155		♦ IP68
		IMPRES Hi-Cap Li-Ion 2350 mAh battery Submersible (IP57), Intrinsically safe (FM)	NNTN8129	•	Li-lon	2350	Analogue: 12 Digital: 17.5	N/A	113 x 52 x 23	150	FM	♦ IP67
DP4000 SERIES		IMPRES Hi-Cap Li-Ion 2500 mAh battery Submersible (IP57), Intrinsically safe	NNTN8560	•	Li-lon	2500	Analogue: 12.5 Digital: 18.5	N/A	113 x 52 x 23	195	TIA	♦ IP57



radio gets banged on a ride, rattled by heavy equipment or ed by static electricity, our batteries will stay true and stand tough. rigorous lab tests prove that Motorola Solutions radio batteries rm robustly and reliably, despite the toughest conditions. What's we stand behind every battery we build.

ww.motorolasolutions.com/proventough for details.

```
ROLA SOLUTIONS
ER PRODUCTS
TIPLIER
EYWELL
```

reduce the number of spare batteries you buy and increase ne before you need replacements. Only IMPRES batteries can arged 150 additional times versus a standard battery – a 43% se in charge cycles. If you charge radios two to three times a you'll get more than an extra year out of every IMPRES battery.

N VOLTAGE BATTERIES

paired with the next generation 'e' series radios Low Voltage Batteries N4488, PMNN4499, PMNN4489, PMNN4490, PMNN4493) deliver up to ours of battery talk time. Working up to 3 shifts, these new batteries are ar size and weight as current batteries.

S BATTERIES AND CHARGERS: Get the most out of every battery and eliminate the surprise of "low alerts". IMPRES chargers tell you exactly how much capacity is in an IMPRES battery before you attach r radio and exactly when an IMPRES battery has reached the end of service life.

INTRINSIC SAFETY RATING: Motorola Solutions approved batteries are a critical part of the overall radio system certified by a recognised testing organisation as intrinsically safe. Non-Motorola Solutions approved batteries may not be certified for MOTOTRBO and if used, could result in equipment that is NOT approved or unsafe in a hazardous environment.

OCKS, DROPS, SHOCKS, VIBRATION, STATIC,



N DO IMPRES BATTERIES AND ARGERS SAVE MONEY?

COMPATIBILITY	ACCESSORY			FEATURES							
MOTOROLA SOLU	TIONS ORIGINAL® T	WO-WAY RADIO BATTERIES									
PORTABLE RADIOS	BATTERIES	DESCRIPTION	PART NUMBER	IMPRES	CHEMISTRY	TYPICAL RATED CAPACITY (mAh)	APPROXIMATE OPERATIONAL TIME (HOURS) 5/5/90 DUTY CYCLE LEGACY NEW	DIMENSIONS (MILLIMETRES) H x L x D	WEIGHT (MAX. GRAMS)	INTRINSIC SAFETY RATING	IP RATING
DP4000e SERIES		IMPRES Hi-Cap Li-Ion 2900 mAh Iow voltage battery, IP68 (TIA)	PMNN4489	•	Li-Ion	2900	Analogue: N/A 20.5 Digital: N/A 27	113 x 52 x 23	210	TIA	♦ IP68
DP2000e SERIES		IMPRES Hi-Cap Li-Ion 2900 mAh Iow voltage battery, IP68 (TIA)	PMNN4490	•	Li-Ion	2900	Analogue: N/A 20 Digital: N/A 26.5	113 x 52 x 23	210	TIA	● IP68
	2 4 11 12 10 2 4 11 12	BT100 Li-lon 2300 mAh Battery	PMNN4468		Li-Ion	2300	14	12 x 36 x 54	50		
		BT90 Li-Ion 1800 mAh Battery	HKNN4013		Li-Ion	1800	11.5	9 x 36 x 54	38		
SL4010 SL4010e SERIES		Replacement Battery Cover (BT100 - ultra high capacity battery)	PMLN6745								
		Replacement Battery Cover (BT90 - high capacity battery)	PMLN6001								
4		Li-Ion 1700 mAh IP68 Battery	PMNN4440		Li-lon	1700	Analogue: 8.5 12 Digital: 12.3 16	96 x 56 x 15	110		● IP68
DP3441 DP3441e SERIES	an 19	IMPRES Li-Ion 3000 mAh Low Voltage Battery (This requires new holsters: PMLN7559 and PMLN7537)	PMNN4502	•	Li-Ion	3000	Analogue: 18 20 Digital: 23.5 25	96 x 56 x 23	155		● IP68
DP4000 EX Series		IMPRES 2075 mAh submersible Li-Ion battery, IP67 Intrinsically Safe (ATEX)	NNTN8359	•	Li-Ion	2075	Analogue: 16 Digital: 9 N/A			ATEX	● IP67



COMPATIBILITY	ACCESSORY			FEATU	RES			
	TIONS Choose from a va moment you need it.	riety of solutions including single-unit, multi-ur	iit, travel and in-vel	hicle char	gers and be	confident	your radio is char	ged
PORTABLE RADIOS	CHARGERS	DESCRIPTION	PART NUMBER	IMPRES	CHEMISTRY	POWER SOURCE	DIMENSIONS (MILLIMETRES) H X L X D	NUMBEF OF POCKETS
DP2000 DP2000e SERIES	9 8	IMPRES Single-Unit Rapid Rate Charger, 220-240 VAC SMPS AU/NZ plug	WPLN4256	•	Li-Ion, NiMh	220-240 VAC	61 x 97 x 163	1
DP3000 Series		IMPRES Multi-Unit Rapid Rate Charger with 1 Display , AU Plug	WPLN4215	•	Li-Ion, NiMh	220-240 VAC	153 x 445 x 292	6
DP4000 DP4000e SERIES	-	IMPRES Multi-Unit Rapid Rate Charger with 6 Displays 220-240 VAC AU plug	WPLN4222	•	Li-Ion, NiMh	220-240 VAC	153 x 445 x 292	6
DP4000 EX SERIES	4D	Display Module for IMPRES Multi-Unit Charger	RLN5382	•				
	1111	Wall Mount Bracket for IMPRES Multi-Unit Charger	NLN7967					
-		Standard Micro-USB Single-Unit Rapid Rate, Plug-In Charger, 100-240 VAC (AU/ NZ plug)	PS000042A14		Li-lon	100-240 VAC		1
SL4010 SL4010e	ē	Tri-Unit Rapid Rate Charger (Simultaneously charge radio, spare battery and a Bluetooth device) 220-240 VAC AU/NZ plug	PMLN6700		Li-lon	220-240 VAC	52 x 93 x 113	2+1
SERIES	adam.	Six-Pocket Multi-Unit Rapid Rate Charger, 220-240 VAC AU/NZ plug	PMLN6690		Li-Ion	220-240 VAC	65 x 424 x 110	6

	ACCESSORY			FEATU	IKES	_	_	
CHARGER SOLU	CHARGERS	DESCRIPTION	PART NUMBER	IMPRES	CHEMISTRY	POWER SOURCE	DIMENSIONS (MILLIMETRES) H X L X D	NI OF PC
		Single Unit Rapid Rate Charger 220-240 VAC AU/NZ plug	PMLN5199		Li-lon, NiMh	220-240 VAC	56 x 97 x 147	
ш	-	IMPRES Multi-Unit Rapid Rate Charger (non-Display) 220-240 VAC AU/NZ Plug Power Cord	WPLN4190	•	Li-Ion, NiMh	220-240 VAC	153 x 445 x 292	
DP3441 DP3441e	A CONTRACTOR	IMPRES Multi-Unit Rapid Rate Charger (6 display) 220-240 VAC AU/NZ Euro Plug Power Cord	WPLN4195	•	Li-Ion, NiMh	220-240 VAC	153 x 445 x 292	
SERIES	8	Charger insert for GP628/638 PLUS for standard Multi-Unit Charger (WPLN4190/WPLN4195)	PMLN5010					
	8	Charger insert for MOTOTRBO Multi-Unit Charger (WPLN4215/WPLN4222)	PMLN6669					
VEHICULAR AND	TRAVEL CHARGER	S						
DP2000 DP2000e SERIES	M	IMPRES Single-Unit Rapid Rate Vehicular Charger, heavy-duty permanent mount	NNTN7616*	•	Li-Ion, NiMh	12 VDC (hardwire)	200 x 83 x 97	
DP3000 SERIES DP4000 DP4000e DP4000EX SERIES	4	Travel Charger, Rapid Rate with voltage regulated adapter, custom charger base, mounting bracket and coil cord	NNTN8525		Li-Ion, NiMh	12 VDC Cigarette Lighter Adapter	58 x 64 x 67	



IMPRES BATTERY MANAGEMENT TOOLS?

With the unique IMPRES Battery Reader and IMPRES Battery Fleet Management systems, efficiently manage your batteries with realtime data not available with other manufacturers' batteries. Our easy-touse software applications show you if there is enough capacity for a full shift, alert you to low capacity batteries, prevent downtime and eliminate throwing batteries out prematurely.

Now over-the-air capable with select models.



IMPRES BATTERY FLEET MANAGEMENT SOFTWARE REPORTS

2 1 ± .	8 1	1.1	P. 12	2.2.					
	-								
A Reported In Concession	20.00		P Pt	2 5 9 4					
A Design of Arrithma		-	1-1	and and		-			Int I
C. Market Star	And in case of the local division of the loc	100	lines .	Communities.	diam'r.	144	10.00	14	a a com
	2-04	(marked	20.0	(and	Statistics.	2.00	A 114	100	A CONTRACTOR OF THE OWNER
all has been	And in case of the local division of the loc	Sec.	10.00	-	Service.	A	100.000	14	Concession of Concession, Name
A Party Street of Concession, Name	Providence -	140	-	A life to an	Property and		14 110	2.00	parties -
	and a	14	Service 1	THE PERSON NAMES IN COLUMN	Statements.		Day 184	100	property in
all the second s	and a second	244	ALC: NO	11.011.010-010-001	57154	2.10	A 10	. pat	programme .
- phones	Station.	100.	line.	Jene .	Trade of Concession, Name	pes	(a.)(i)	344	Participa -
	Annual Voters	14	Designation of the	only have a spream spin	And in case of	and a	14 100	344	a second se
A Director on And Direct		144	man-1	Services and and		1.00	14 144	1000	processing in the second secon
VANDAL STREET, SALES	and the second second	344	- Mart	See .	Conception in the local division of the loca		(m. 10)	100	A COMPANY OF A COMPANY
	BUTCHICK.	part -	10000	CONTRACTOR .	and set of the local division of the local d		24,246	346	Const Date
y take for a location.	2	H	Automation of the	THE PERSON NAMES OF TAXABLE PARTY.	COLUMN 2		240.200	2011	And the owner of the owner of the owner of the owner owne
12 mais for table to perform.	December 1	3m -	Participa -	11 months	and the local division of the local division		-	346.1	a losse
	Store States		Distances.	34	The Party New		140.000	344	Press and a
	Torona a	Sec.	Section 1	-	ACCURATE NO.	-	14 110	144	Transfer 1
A Design of the local division of the local	and a second second	(mag	Contract.	Printer and Printe	No. of Case of	Rint	100.000	-	to the local
	and the second s		Partnersh		Name of Street, or other		14.318	100	204.04
1 Design of the Party of	and the second second	-	and the second second	Contraction of the local division of the loc		718	(m. 100)	100	- Distance -
Charlens & Inching her	Distant and	Pt	parts (100	No. 1 King		14.104	1.0	and and a second
	1.000	2.00	David -	100	the state of the s	2018	the past	per l	1. million
10 Mage stress are hugh. The	and the second s	100		And and and a second	and in case		14 110	-	
a later a	Concernance of	100	Section 1	Concession 1		100	-	-	1000
	a grant from the	1944	A DESCRIPTION OF	1000	the state of the s	1.10	10.00	-	1000
Application as the water	Barrissing.	200	Pasters /	-	the state of the s		100 100	10	Planter .
	and statements		Desire	Printer .	lane and	ALC: N	100 100	-	and the second
	A Designation of the local division of the l	-		-	Section 2.		-		- Adverse and
	a second second	100	Net	Laurant Just	Print L	in all	5.00	- 24	1000
	a second	100	Mitt	PR MORENE .		A.M.	A 118	100	
	1		Contraction of the local division of the loc	10	and the other	- D	-	144	And a state of the

IMPRES BATTERY FLEET MANAGEMENT ACTIVE BATTERY REPORT



COMPATIBILITY	ACCESSORY	
CHARGER SOLUTI	ONS	
PORTABLE RADIOS	CHARGERS	DESCRIPTION
IMPRES BATTERY	MANAGEMENT TO	DLS
		IMPRES Battery Reader
DP2000 DP2000e SERIES		IMPRES Battery Fleet Management Multi-Unit Charger Interface Unit
DP3000 SERIES DP4000 DP4000e SERIES	G	IMPRES Battery Fleet Management Single-Unit Charger Interface Unit
		IMPRES Battery Fleet Management License Key
		IMPRES Battery Fleet Management Software, downloadable from Motorolasolutions.com



NNTN7392	IMPRES: G and elimina alerts". IMP

NNTN7677

NNTN8045

HKVN4039

NNTN7676

IMPRES: Get the most out of every battery and eliminate the surprise of "low battery alerts". IMPRES chargers tell you exactly how much capacity is in an IMPRES battery before you attach it to your radio and exactly when an IMPRES battery has reached the end of service life.

NUMBER OF POCKETS: MOTOTRBO multiunit chargers let you simultaneously charge up to 6 radios and/or batteries. The unique tri-unit charger for the SL Series enables you to charge a radio, spare battery and wireless device simultaneously.

IMPRES Battery Fleet Management is now over the air capable with selected radio models (must use MOTOTRBO software update 2.4 or greater).



COMPATIBILITY	ACCESSORY			FEATURES			
CARRY SOLUTIO	NS Carrying cases are a es keep your hands-free,	vailable in sizes designed to fit your radio and b so you can concentrate on the task at hand.	attery and permit	audio to be heard cl	early.		
PORTABLE RADIOS	CARRY SOLUTIONS	DESCRIPTION	PART NUMBER	MATERIAL	BELT LOOP/CLIP DIMENSION (INCHES)	SWIVEL/ FIXED	DISPLAY/ NON DISPLAY
	P	Hard leather case with 2.5 inch swivel belt loop for nondisplay ATEX model	PMLN6096	Hard Leather	2.5	Swivel	Non- Display
		Hard leather case with 2.5 inch swivel belt loop for display ATEX model	PMLN6097	Hard Leather	2.5	Swivel	Display
DP4000 EX SERIES		Soft leather case with 2.5 inch swivel belt loop for nondisplay ATEX model	PMLN6098	Soft Leather	2.5	Swivel	Non- Display
		Soft leather case with 2.5 inch swivel belt loop for display ATEX model	PMLN6099	Soft Leather	2.5	Swivel	Display
		Carry Holster with Belt Clip	PMLN7559	Plastic	N/A	Fixed	N/A
		Carry Holster with Belt Clip (for ultra high cap 3000mAh Lilon battery)	PMLN7559A	Plastic	N/A	Fixed	N/A
DP3441 DP3441e SERIES	1	Synthetic Leather with 3 inch Fixed Belt Loop for standard battery	PMLN7536	Synthetic Leather	3	Fixed	Non- Display
		Synthetic Leather with 3 inch Fixed Belt Loop for high capacity battery	PMLN7537	Synthetic Leather	3	Fixed	Non- Display
		Nylon Case with 3 inch Fixed Belt Loop (limited keypad model)	PMLN5869	Nylon	3	Fixed	Display
	1	Hard Leather Carry Case with 2.5 inch Swivel Belt Loop (limited keypad model)	PMLN5867	Hard Leather	2.5	Swivel	Display
DP2000 DP2000e SERIES		Hard Leather Carry Case with 3 inch Swivel Belt Loop (limited keypad model)	PMLN5865	Hard Leather	3	Swivel	Display
		Hard Leather Carry Case with 3 inch Fixed Belt Loop (limited keypad model)	PMLN5863	Hard Leather	3	Fixed	Display
		Soft Leather Carry Case with 2.5 inch Swivel Belt Loop (display model)	PMLN5016	Soft Leather	2.5	Swivel	Display



					_
		FEATURES	_	_	
	PART NUMBER	MATERIAL	BELT LOOP/CLIP DIMENSION (INCHES)	SWIVEL / FIXED	DISPLAY/ NON DISPLAY
el	PMLN5017	Soft Leather	3	Swivel	Display
Belt	PMLN5018	Soft Leather	3	Fixed	Display
	PMLN5870	Nylon	3	Fixed	Non Display
	PMLN5868	Hard Leather	2.5	Swivel	Non Display
ivel	PMLN5866	Hard Leather	3	Swivel	Non Display
ed	PMLN5864	Hard Leather	3	Fixed	Non Display
	PMLN5025	Soft Leather	2.5	Swivel	Non Display
vel	PMLN5026	Soft Leather	3	Swivel	Non Display
ed	PMLN5027	Soft Leather	3	Fixed	Non Display
	PMLN5015	Nylon	3	Fixed	Display
	PMLN5024	Nylon	3	Fixed	Non Display
	PMLN5019	Hard Leather	2.5	Swivel	Display
		1			

side to side. The swivel latch system also allows the ratio and case to be removed from the belt loop by simply inverting, lifting it up and out of the belt loop. Fixed loops provide a sturdy attachment to your belt.

COMPATIBILITY	ACCESSORY			FEATURES			
CARRY SOLUTION easy to access.	S Choose from a wide r	range of nylon cases, leather cases, straps, ho	lsters and clips, all	designed to keep	your radio prote	ected, yet still	
PORTABLE RADIOS	CARRY SOLUTIONS	DESCRIPTION	PART NUMBER	MATERIAL	BELT LOOP/CLIP DIMENSION (INCHES)	SWIVEL/ FIXED	DISPLAY/ NON DISPLAY
	Ú	Hard Leather Carry Case with 3 inch Swivel Belt Loop (display model)	PMLN5020	Hard Leather	3	Swivel	Display
Į		Hard Leather Carry Case with 3 inch Fixed Belt Loop (display model)	PMLN5021	Hard Leather	3	Fixed	Display
	U	Hard Leather Carry Case with 2.5 inch Swivel Belt Loop (non-display model)	PMLN5028	Hard Leather	2.5	Swivel	Non Display
DP3000 SERIES	1	Hard Leather Carry Case with 3 inch Swivel Belt Loop (non-display model)	PMLN5029	Hard Leather	3	Swivel	Non Display
	٢	Hard Leather Carry Case with 3 inch Fixed Belt Loop (non-display model)	PMLN5030	Hard Leather	3	Fixed	Non Display
		Nylon Case with 3 inch Fixed Belt Loop (full keypad model)	PMLN5844	Nylon	3	Fixed	Display
	U	Hard Leather Case with 2.5 inch Swivel Belt Loop (full keypad model)	PMLN5842	Hard Leather	2.5	Swivel	Display
	1	Hard Leather Case with 3 inch Swivel Belt Loop (full keypad model)	PMLN5840	Hard Leather	3	Swivel	Display
	Ë	Hard Leather Case with 3 inch Fixed Belt Loop (full keypad model)	PMLN5838	Hard Leather	3	Fixed	Display
DP4000 DP4000e SERIES		Nylon Case with 3 inch Fixed Belt Loop (non-display model)	PMLN5845	Nylon	3	Fixed	Non Display
	1	Hard Leather Case with 2.5 inch Swivel Belt Loop (non-display model)	PMLN5843	Hard Leather	2.5	Swivel	Non Display
		Hard Leather Case with 3 inch Swivel Belt Loop (non-display model)	PMLN5846	Hard Leather	3	Swivel	Non Display
		Hard Leather Case with 3 inch Fixed Belt Loop (non-display model)	PMLN5839	Hard Leather	3	Fixed	Non Display





		FEATURES		
	PART NUMBER	MATERIAL	BELT LOOP/CLIP DIMENSION (INCHES)	SWIVEL / FIXED
	PMLN6086	Plastic	2.5	
t	PMLN5610	Hard Leather	2.5	Swivel
6	PMLN7296	Plastic		
	PMLN4651	Plastic	2.5	
	PMLN7008	Plastic	2.5	
	PMLN5610	Hard Leather	2.5	Swivel
	PMLN5611	Hard Leather	3	Swivel
elt	PMLN5022	Hard Leather	2.5	Swivel
	PMLN5023	Hard Leather	3	Swivel
	PMLN4652	Plastic	2	
	PMLN5956	Plastic		Swivel
ı	PMLN7559	Plastic		Swivel
	PMLN6074	Nylon		
ck	PMLN7040	Soft Leather	1.5	Swivel

COMPATIBILITY	ACCESSORY			FEATURES
CARRY SOLUTION	VS			
PORTABLE RADIOS	CARRY SOLUTIONS	DESCRIPTION	PART NUMBER	MATERIAL
	T	Waterproof Bag with large strap for securely carrying Motorola Solutions two-way radios	HLN9985	
للد	MILLION A	Black Leather Epaulet Strap with clip to secure remote speaker microphone to shirt	RLN4295	Leather
DP2000 DP2000e SERIES	-	1.75 inch Wide Leather Belt	4200865599	Leather
	M	Universal Chest Pack with Radio Holder, Pen Holder and Velcro Secured Pouch	HLN6602	
<u>é</u>	M	Break-a-Way Chest Pack with Radio Holder Pen Holder and Velcro Secured Pouch	RLN4570	
DP3000 SERIES	And the second s	Replacement Strap for HLN6602 and RLN4570	1505596Z02	
		Radio Pack Radio Utility Case	RLN4815	
DP4000 DP4000e SERIES		Radio Pack Extension Belt for waists larger than 40 inches	4280384F89	
JLNLO	5	Adjustable Nylon Carrying Strap	NTN5243	Nylon
DP3441 DP3441e SERIES		Accessory Connector Dust Cover	0104058J40	Plastic
DP3000 SERIES		Accessory Connector Dust Cover	1571477L01	Plastic
DP2000 DP2000e SERIES		Accessory Connector Dust Cover	PMLN6066	Plastic
DP4000 DP4000e SERIES DP4000 EX SERIES	8	Accessory Connector Dust Cover	15012157001	Plastic



COMPATIBILITY	ACCESSORY			FEATURES				
ANTENNAS Get the over DP3000 Series st	e best possible reception subby antennas.	wherever you operate. New stubby antennas	for the DP4000 an	d DP2000 seri	es radios offe	r superior pe	erforman	ce
PORTABLE RADIOS	ANTENNAS	DESCRIPTION	PART NUMBER	UHF / VHF / (800/900 MHz)	FREQUENCY BAND (MHz)	INTEGRATED GPS	LENGTH (CM)	TYPE
		UHF/GPS Combination Folded Monopole Whip Antenna for the 403-433 MHz range	PMAE4018	UHF	403-433	•	14	Whip
	1	UHF/GPS Combination Folded Monopole Whip Antenna for the 430-470 MHz range	PMAE4024	UHF	430-470	•	14	Whip
	1	UHF/GPS Combination Folded Monopole Whip Antenna for the 450-495 MHz range	PMAE4050	UHF	450-495	•	14	Whip
		UHF/GPS Combination Folded Monopole Whip Antenna for the 495-527 MHz range	PMAE4051	UHF	495-527	•	14	Whip
DP3000 SERIES	/	VHF/GPS Combination Helical Whip Antenna for the 136-147 MHz range	PMAD4067	VHF	136-147	•	16	Helical
		VHF/GPS Combination Helical Whip Antenna for the 160-174 MHz range	PMAD4069	VHF	160-174	•	16	Helical
	/	GPS/800/900 MHz Combination Helical Antenna	PMAF4003	800/900 MHz	806-941	•	18	Helical
DP2000 DP2000e DP3441 DP3441e DP4000 DP4000e SERIES	/	VHF Stubby Antenna (160-174 MHz)	PMAD4121	VHF	160-174		9	Stubby

FREQUENCY BAND: Most antennas only cover a portion of a frequency band. Our wideband UHF and VHF antennas offer coverage across the entire band, enhancing your communication flexibility.

INTEGRATED GPS: A GPS antenna is integrated into the RF antenna. (The DP2000 series radios do not have GPS capability, but use these antennas.)

COMPATIBILITY	ACCESSORY			FEATURES				
ANTENNAS								
PORTABLE RADIOS	ANTENNAS	DESCRIPTION	PART NUMBER	UHF / VHF / (800/900 MHz)	FREQUENCY BAND (MHz)	INTEGRATED GPS	LENGTH (CM)	TYPE
	/	UHF Wideband Flexible Whip Antenna for the 403-470 MHz range	PMAE4022	UHF	403-470		16	Whip
	/	UHF Wideband Flexible Whip Antenna for the 450-512 MHz range	PMAE4049	UHF	450-512		16	Whip
		VHF Wideband Flexible Whip Antenna for the 136-174 MHz range	PMAD4088	VHF	136-174		21	Whip
		UHF/GPS Combination Stubby Antenna for the 403-433 MHz range	PMAE4021	UHF	403-433	•	9	Stubl
4	1	UHF/GPS Combination stubby antenna for the 430-470 MHz range	PMAE4023	UHF	430-470	•	9	Stubl
DP3000 SERIES		UHF/GPS Combination Stubby Antenna for the 450-512 MHz range	PMAE4048	UHF	450-512	•	9	Stubb
		VHF Stubby Antenna for the 136-147 MHz range	PMAD4093	VHF	136-147		11	Stubb
/	/	VHF Stubby Antenna for the 147-160 MHz range	PMAD4094	VHF	147-160		11	Stubb
		VHF Stubby Antenna for the 160-174 MHz range	PMAD4095	VHF	160-174		11	Stubb
		Whip 350-400 MHz + GPS Fld Mnp Antenna 16.5cm	PMAD4112	VHF	350-400	•	16.5	Whip

COMPATIBILITY ANTENNAS	ACCESSORY		FEATURES					
PORTABLE RADIOS	ANTENNAS	DESCRIPTION	PART NUMBER	UHF / VHF / (800/900 MHz)	FREQUENCY BAND (MHz)	INTEGRATED GPS	LENGTH (CM)	ТҮРЕ
	/	UHF/GPS Combination Wideband Slim Whip Antenna (403-527 MHz)	PMAE4079	UHF	403-527	•	15	Whip
		VHF/GPS Combination Helical Antenna (136-155 MHz)	PMAD4117	VHF	136-155	•	15	Helical
DP2000 DP2000e SENIES		VHF/GPS Combination Helical Antenna (144-165 MHz)	PMAD4116	VHF	144-165	•	15	Helical
	•	VHF/GPS Combination Helical Antenna (152-174 MHz)	PMAD4118	VHF	152-174	•	15	Helical
DP4000 DP4000e SENIES		UHF/GPS Combination Stubby Antenna (403-450 MHz)	PMAE4069	UHF	403-450	•	11	Stubby
		UHF/GPS Combination Stubby Antenna (440-490 MHz)	PMAE4070	UHF	440-490	•	11	Stubby
		UHF/GPS Combination Stubby Antenna (470-527 MHz)	PMAE4071	UHF	470-527	•	11	Stubby
		VHF/GPS Combination Stubby Antenna (136-148 MHz)	PMAD4119	VHF	136-148	•	9	Stubby
		VHF/GPS Combination Stubby Antenna (146-160 MHz)	PMAD4120	VHF	146-160	•	9	Stubby
DP4000 DP4000e SERIES	/	800 MHz Flexible Whip Antenna (806-870 MHz) (NZ only)	PMAF4011	800/ 900 MHz	806-870		14	Whip
		UHF Antenna Kit for the 403-425 MHz range	PMAE4078	UHF	403-425		1.9	Stubby
SL4010 SL4010e SERIES		UHF Antenna Kit for the 438-470 MHz range	PMAE4077	UHF	438-470		1.9	Stubby
		UHF Stubby Antenna Kit for the 450-490 MHz range	PMAE4091	UHF	450–490		1.9	Stubby
		UHF Stubby Antenna Kit for the 480-527 MHz range	PMAE4092	UHF	480–527		1.9	Stubby

COMPATIBILITY	ACCESSORY			FEATURES				
ANTENNAS								
PORTABLE RADIOS	ANTENNAS	DESCRIPTION	PART NUMBER	UHF / VHF / (800/900 MHz)	FREQUENCY BAND (MHz)	INTEGRATED GPS	LENGTH (CM)	ТҮРЕ
	/	UHF Folded Monopole Whip Antenna for ATEX radio (403-433 MHz)	PMAE4081	UHF	403-433		14	Whip
	/	UHF Folded Monopole Whip Antenna for ATEX radio (430-470 MHz)	PMAE4082	UHF	430-470		14	Whip
_	/	UHF Stubby Antenna for ATEX radio (403-433 MHz)	PMAE4083	UHF	403-433		9	Stubby
	/	UHF Stubby Antenna for ATEX radio (430-470 MHz)	PMAE4084	UHF	430-470		9	Stubby
	UHF Wideband Whip Antenna for ATEX radio PMAE4085 UI (403-470 MHz)	UHF	403-470		16	Whip		
	/	VHF/GPS Helical Whip Antenna for ATEX radio (136-147 MHz)	PMAD4126	VHF	136-147		17	Whip
DP4000 EX SERIES	/	VHF/GPS Helical Whip Antenna for ATEX radio (147-160 MHz)	PMAD4127	VHF	147-160		17	Whip
	/	VHF/GPS Helical Whip Antenna for ATEX radio (160-174 MHz)	PMAD4128	VHF	160-174		17	Whip
	/	VHF Stubby Antenna for ATEX radio (136-147 MHz)	PMAD4129	VHF	136-147		11	Stubby
	/	VHF Stubby Antenna for ATEX radio (147-160 MHz)	PMAD4130	VHF	147-160		11	Stubby
	/	VHF Stubby Antenna for ATEX radio (160-174 MHz)	PMAD4131	VHF	160-174		11	Stubby
	/	VHF Wideband Antenna for ATEX radio (136-174 MHz)	PMAD4132	VHF	136-174		22	Whip



COMPATIBILITY	ACCESSORY		
ANTENNA ACCES	SORIES		
PORTABLE RADIOS	ANTENNA ACCESSORIES	DESCRIPTION	PART NUMBER
SL4010 SL4010e SERIES		Antenna Mounting Kit with 10 screws and plugs	PMLN6040
00000		Grey Antenna ID Bands (pack of 10pcs)	32012144001
DP2000 DP2000e SERIES		Yellow Antenna ID Bands (pack of 10pcs)	32012144002
DP3441 DP3441e SERIES		Green Antenna ID Bands (pack of 10pcs)	32012144003
DP4000 DP4000e SERIES		Blue Antenna ID Bands (pack of 10pcs)	32012144004
		Purple Antenna ID Bands (pack of 10pcs)	32012144005

COMPATIBILITY	ACCESSORY		
PROGRAMMING	CABLES		
PORTABLE RADIOS	PROGRAMMING CABLES	DESCRIPTION	PART NUMBER
DP2000 DP2000e SERIES		Portable Programming Cable (USB) for DP2000 and DP3441series	PMKN4115
DP3441 DP3441e SERIES		Programming, Test, and Alignment Cable for DP2000 and DP3441 series	РМКN4117
	DP3000 SERIES	Portable Programming Cable (USB) for DP3000/4000 series	PMKN4012
DP3000 SERIES		Programming, Test, and Alignment Cable for DP3000/4000 series	PMKN4013
	.0	Portable Telemetry Cable	PMKN4040
DP4000 DP4000e SERIES	-	Portable to RS232 DB25M Connector Cable	PMKN4071
DP3000 Series		IMPRES Mobile MMP Non-PC Adapter	PMKN4072
DP4000 DP4000e SERIES		Test Alignment, TTR and Programming Cable	PMKN4126
SL4010 SL4010e SERIES	\mathcal{Q}	Portable Programming Cable (micro USB) for SL series	CB000262A01



UNRIVALED VOICE AND DATA ON THE GO DM4000 / DM4000e SERIES

The DM4000/DM4000e series shares the same connector as the DM3000 series accessories enabling easy migration. This portfolio is enhanced* with integrated Bluetooth®, giving more flexibility than ever before. Now your drivers can check on packages or walk around the loading dock and stay connected within 10 metres of their radio. A new IMPRES keypad microphone features a four-way navigation button that makes accessing critical features on the large color display, dialing phone numbers and sending text messages easy.

* Available on 01 models

INTEGRATED VOICE AND DATA ON THE GO DM3000 SERIES

Handling dispatch for a delivery company or hauling freight across the country, accessories must meet challenging installation and operational requirements. DM3000 series mobile accessories are specifically designed for hassle-free communication in a vehicle, for dispatch-enabled communication, and for easy installation.



DM4000 SERIES DM4000e SERIES



DM3000 SERIES





MICROPHONES Keypad microphones let you easily navigate menus on your DM3000/4000e display mobiles, dial phone numbers and send text messages. The heavy-duty microphone is easy to use while wearing gloves and the telephone-style handset enables more discreet communication.

FEATURES

MOBILE RADIOS	MICROPHONES	DESCRIPTION	PART NUMBER	MICROPHONE STYLE	IMPRES
DM4000 DM4000e SERIES	As	IMPRES Keypad Microphone with 4-way navigation button	RMN5127	Keypad + Navigation	•
	Ţ	MOTOTRBO Mobile Handheld Control Head Upgrade Kit with 3M Straight Cable	PMLN7131		
	0	MOTOTRBO Mobile Handheld Control Head 5 Metre Straight Extension Cable	PMKN4174		



COMPATIBILITY	ACCESSORY		
the mobile microphon	e. A simple pushbutton P e emergency footswitch	te the PTT or emergency footswitch without h TT can be held in the hand or mounted in you lets you discreetly activate emergency hands	r vehicle for
MOBILE RADIOS	MICROPHONE Accessories	DESCRIPTION	PART NUMBER
DM4000 DM4000e SERIES	0	Pushbutton push-to-talk to interface with your visor microphone	RLN5926
DM3000 SERIES	U	Emergency Footswitch can be used with a visor microphone	RLN5929

COMPATIBILITY

ACCESSORY

	FEATURES	
PART NUMBER	MICROPHONE STYLE	IMPRES
RMN5065	Keypad	•
RMN5052	Compact	
RMN5053	Heavy-Duty	•
HMN4098	Telephone Style Handset	•
RMN5054	Visor	•
RMN5050	Desktop	





COMPATIBILITY MOBILE MICROP	ACCESSORY PHONE ACCESSORIES		
MOBILE RADIOS	MICROPHONE ACCESSORIES	DESCRIPTION	PART NUMBER
DM4000 DM4000e SERIES	at the	Microphone Hang-Up Clip (Requires installation)	HLN9073
DM3000 Series	0	Universal Microphone Hang-Up Clip (No installation required)	HLN9414
	A	3 Metre Mobile Microphone Extension Cable	PMKN4033
DM4000 DM4000e SERIES		7 Metre Mobile Microphone Extension Cable	PMKN4034
DM3000 SERIES		Compact Microphone Replacement Cable	3075336B07
		Heavy Duty / Keypad Microphone Replacement Cable	3075336B10

HOW CAN I COMMUNICATE SAFELY IN MY VEHICLE?

The IMPRES Visor Microphone mounts to your vehicle's visor for safe, convenient communication. Press the external push-to-talk button on the steering wheel to converse without taking your hands off the wheel or your eyes off the road. IMPRES Audio compensates for the distance of the visor mic from your mouth so that your radio communications are loud and clear.





LONG RANGE WIRELESS SOLUTIONS

Designed for customers who depend on their high power mobile radio for system connection but must work outside of their vehicle. The Long Range Wireless solution allows you to maintain critical communications even on remote job site.

COMPATIBILITY	ACCESSORY			FEATURES										
OPERATIONS CRITICAL WIRELESS BLUETOOTH® ACCESSORIES This portfolio is a game changer for leave your truck or walk away from your desk and still remain connected to your radio up to 10 meters away.			for your busines	s as you have th	e flexibility to									
MOBILE RADIOS	WIRELESS: ENHANCED OPERATIONS CRITICAL WIRELESS	DESCRIPTION	PART NUMBER	WINDPORTING/ NOISE CANCELLING	VOLUME CONTROL	ORANGE PROGRAMMABLE BUTTON	audio jack (3.5MM)	TALK TIME (HOURS) 5/5/90 DUTY CYCLE	CHARGE TIME (HOURS)	WEIGHT (GRAMS)	SIZE DIMENSIONS (MILLIMETRES) H x L x D	OPERATIONS CRITICAL / ENHANCED OPERATIONS CRITICAL	TOUCH / STANDARD PAIRING	RANGE (METRES LINE OF SIGHT)
DM4000 DM4000e SERIES		Long Range Wireless Kit with charger Includes: Long Range Wireless RSM; Mobile Mic Bluetooth Gateway; Vehicular Charger	MDRLN6551B-AU	Windporting	Û			28	3	158	88 x 26 x 63	Enhanced Operations Critical	Touch	100
SERIES DM3000 SERIES	-	Dual Unit Charger (Charger base with AU/NZ power supply)	PMLN7124						3					

COMPATIBILITY	ACCESSORY		FEATURES						
REPLACEMENT PARTS AND SECONDARY AUDIO ACCESSORIES									
MOBILE RADIOS	REPLACEMENT PARTS AND SECONDARY AUDIO ACCESSORIES	DESCRIPTION	PART NUMBER	EARPIECE TYPE	COMPATIBLE EARPIECE				
DM4000 DM4000e		Clear EP7-Small Hearing Protectors [Sonic Defenders] Ultra Earplugs Noise reduction = 28dB	RLN6511	Comply™ foam eartip	RLN4941				
SERIES DM3000	Clear EP7-Medium Hearing [Sonic Defenders] Ultra Ear Noise reduction = 28dB		RLN6512	Comply™ foam eartip	RLN4941				
SERIES		Clear EP7-Large Hearing Protectors [Sonic Defenders] Ultra Earplugs Noise reduction = 28dB	RLN6513	Comply™ foam eartip	RLN4941				

SITUATION

Keep in touch even on remote job sites when you depend on your high power mobile radio but have to work outside your vehicle. You are a utility worker and need to check the meter readings. You have to park your truck about 100 metres away from the utility box due to access restrictions, yet you stay connected to your radio with your Long Range Wireless Remote Speaker Microphone. You communicate key readings immediately to dispatch. Get your job done safely and more efficiently.





SOLUTION

The Long Range Wireless Remote Speaker Microphone (RSM) pairs instantly with touch pairing to the mobile microphone with Bluetooth gateway. The Bluetooth microphone is compatible with MOTOTRBO DM3000, DM4000 and DM4000e series mobile radios. The Long Range Wireless RSM works up to 100 metres away from the mobile radio, keeping you connected where you never thought possible.

COMPATIBILITY	ACCESSORY			FEATURES							
REPLACEMENT P	ARTS AND SECONDA	RY AUDIO ACCESSORIES									
MOBILE RADIOS	REPLACEMENT PARTS AND SECONDARY AUDIO ACCESSORIES	DESCRIPTION	PART NUMBER	WINDPORTING/ NOISE CANCELLING	VOLUME CONTROL	ORANGE PROGRAMMABLE BUTTON	AUDIO JACK (3.5MM)	TALK TIME (HOURS) 5/5/90 DUTY CYCLE	CHARGE TIME (HOURS)	WEIGHT (GRAMS)	SIZE DIMENSIONS (MILLIMETRES) H x L x D
	1	Mobile Microphone with Bluetooth Gateway	PMMN4097								
		Wireless RSM (Remote Speaker Microphone) with Battery and Clip	RLN6544	Windporting	Û.	6	ľ	28	3	158	88 x 26 x 63
		Wireless RSM Battery, 1750mA Li-Ion 3.6 VDC	PMNN4461					28	3		
DM4000 DM4000e SERIES	2	Vehicular Charger with coil cord cigarette lighter plug	PMLN6716								
	1	Hang Up Clip, required for vehicular charger	HLN5391								
DM3000 SERIES		D Ring Swivel Clip	42009312001								
	S.	Receive-Only Earpiece with Comfort Eartube	RLN4941								
	Ň	Receive-Only Earbud	AARLN4885								





OPERATIONS Critical / Enhanced Operations Critical	TOUCH / STANDARD PAIRING	RANGE (METRES LINE OF SIGHT)	IP RATING/ SUBMERSIBLE	
Enhanced Operations Critical	Touch			
Enhanced Operations Critical	Touch	100	IP55	



HOW DO MOBILE WIRELESS ACCESSORIES HELP ME?

Use your mobile radio like never before and freely move around your vehicle. This means a driver can sort through packages on the back of the delivery truck, a bus driver can check on students in the back of the bus, or a city worker can trim trees from a cherry picker and all can still remain connected to their mobile radio. And by removing the wired connection to a desktop mobile, a dispatcher can walk around the office and manage calls.

COMPATIBILITY	ACCESSORY			FEATURES								
OPERATIONS CRITICAL WIRELESS BLUETOOTH® ACCESSORIES This portfolio is a game changer for your business as you have the flexibility to leave your truck or walk away from your desk and still remain connected to your radio up to 10 metres away.												
MOBILE RADIOS	OPERATIONS CRITICAL WIRELESS	DESCRIPTION	PART NUMBER	EARPIECE TYPE	MICROPHONE	PTT	TALK TIME (HOURS) 5/5/90 DUTY CYCLE	CHARGE TIME (HOURS)	DIMENSIONS (MM)	WEIGHT (GRAMS)	PAIRING TYPE	IP RATING
	5	Operations Critical Wireless Earpiece with 12 inch cable (with AU/NZ transformer)	PMLN6050 with NTN257	Over-the-ear tube (CommPort™)	Directional, above the earpiece	On PTT pod	10	3	70 x 41 x 25	43	Standard	IP54
		Operations Critical Wireless Earbud with 11.5 inch cable	NNTN8294	Earbud	In-line	Requires separate PTT pod	10 with PTT pod				Standard	IP54
	Con Con	Operations Critical Wireless Earbud with 45 inch cable	NNTN8295	Earbud	In-line	Requires separate PTT pod	10 with PTT pod				Standard	IP54
		Operations Critical Wireless push-to-talk pod with AU/NZ charger	PMLN6050	N/A	N/A	On PTT pod	10	3	70 x 41 x 25	43	Standard	IP54
DM4000 DM4000e SERIES	00	Bluetooth Accessory Kit with swivel earpiece and battery clip (PTT on radio or with separate wireless PTT). This kit comes with swivel earpiece, wireless Pod and charger cradle (ANZ transformer [PS000042A14] is ordered separately)	PMLN6463	Over-the-ear (Swivel)	In-line	On Radio*	8		Without Clip: 44 x 32 x 12 With Clip: 44 x 32 x 16	18	Standard	
	()	Bluetooth Accessory Kit with Flexible Fit swivel earpiece with Boom Microphone and charging cradle (PTT on radio or with separate wireless PTT). This kit comes with the earpiece with boom microphone, wireless Pod and charger cradle (ANZ transformer [PS000042A14] is ordered separately)	PMLN7181	Over-the-ear (Swivel)	In-line	On Radio*	8		Without Clip: 44 x 32 x 12 With Clip: 44 x 32 x 16	18	Standard	
	Q	XBT Operations Critical Wireless Behind-the-Neck Headset	RLN6490	Dual-Ear	Boom	On Ear Cup	22	7		429	Standard	IP54
	8	XBT Operations Critical Wireless Headband Style Headset	RLN6491	Dual-Ear	Boom	On Ear Cup	22	7		422	Standard	IP54

Note: DM4001/DM4001e series mobile radios have Bluetooth embedded in the radio. *Note: PTT on radio or with separate wireless PTT.



COMPATIBILITY	ACCESSORY			FEATURES				
WIRELESS REPLACEMENT PARTS								
MOBILE RADIOS	WIRELESS REPLACEMENT PARTS	DESCRIPTION	PART NUMBER	EARPIECE TYPE	MICROPHONE	PTT		
	5	Mission Critical/Operations Critical Replacement Wireless Earpiece with 12 inch cable	NTN2572	Over-the- ear tube (CommPort™)	Directional, above the earpiece	N/A		
	(c)	Wireless Earpiece Maintenance Kit with 10 silicone ear tubes, 10 microphone seal strips and 2 foam windscreens	NTN8821	N/A	N/A	N/A		
	5	Eartube for comport earpiece (pack of 10)	RLN5037	N/A	N/A	N/A		
DM4000 DM4000e SERIES	20	Replacement or spare micro-USB plug-in charger (AU/NZ plug) for wireless pod	PS000042A14	N/A	N/A	N/A		
	~~~??	Swivel Earpiece with in-line microphone for MOTOTRBO Bluetooth Accessory Kit	HKLN4513	Over-the-Ear (Swivel)	In-line	Radio Only		
	2	Flexible Fit Swivel Earpiece with Boom Microphone for MOTOTRBO Bluetooth Accessory Kit	PMLN7203	Over-the-Ear (Swivel)	Boom	Radio Only		



COMPATIBILITY	ACCESSORY							
	EXTERNAL SPEAKERS Boost audio at your control station on your desk or in your y peakers. Different watt speakers can be customised to your environment.							
MOBILE RADIOS	EXTERNAL SPEAKERS	DESCRIPTION						
		13W External Speaker						
DM4000 DM4000e SERIES		7.5W External Speaker						
DM3000 SERIES		5W External Speaker						





### COMPATIBILITY ACCESSORY INSTALLATION AND MOUNTING ACCESSORIES Mount your radio in your vehicle without compromising safety. Trunnion kits give you the flexibility to mount the radio under your dash, in your dash, between the seats or on the floor. Remote mount kits allow the radio be mounted in the trunk when dash space is limited. INSTALLATION AND MOUNTING ACCESSORIES MOBILE RADIOS High Profile Trunnion Kit with under dash or DM3000 SERIES RLN6078 floor mount DM4000 DM4000e SERIES High Profile Trunnion Kit with under dash or RLN6467 floor mount Key Lock Trunnion Kit provides extra DM3000 SERIES RLN6079 protection from theft DM4000 DM4000e SERIES Key Lock Trunnion Kit provides extra RLN6468 protection from theft DM3000 SERIES Direct In Dashboard Mounting Kit RLN5933 DM4000 DM4000e SERIES Direct In Dashboard Mounting Kit RLN6465 MOTOTRBO Mobile Remote Mount DM3000 SERIES PMLN5404 Adapter Kit DM4000 DM4000e SERIES MOTOTRBO Mobile Remote Mount PMLN6404 Adapter Kit



COMPATIBILITY	ACCESSORY	
CABLES		
MOBILE RADIOS	CABLES	DESCRIPTION
	0	Mobile Remote Mount 5-Metre Cable Kit
DM3000 SERIES		Mobile Remote Mount 3-Metre Cable Kit
	0	Mobile Remote Mount 5-Metre Cable Kit
DM4000 DM4000e SERIES	-	Mobile Remote Mount 3-Metre Cable Kit
		Power Cable to Battery, 3 Metre, 20 amp for 1 to 60W radios, 12 AWG
	P _P	Power Cable to Battery, 7 Metre, 20 amp for 1 to 60W radios, 10 AWG
DM4000		Power Cable to Battery, 3 Metre, 15 amp for 1 to 25W radios, 14 AWG
DM4000e SERIES	070	Ignition Sense Cable
	0.	Mobile and Repeater Rear Accessory Programming Cable
DM3000 SERIES	C.	Mobile and Repeater Rear Programming, Test and Alignment Cable
	\$O	Mobile Rear Accessory Connector Universe Cable
	$\bigcirc$	Mobile Front Programming Cable
		Hardware Kit for Rear Accessory Connecto

### PART NUMBER

t	PMKN4073
t	PMKN4074
t	PMKN4144
ït	PMKN4143
)	HKN4191
)	HKN4192
)	HKN4137
	RKN4136
	PMKN4010
,	PMKN4016
rsal	PMKN4018
	HKN6184
tor	PMLN5072



COMPATIBILITY	ACCESSORY			FEATURES			
ANTENNAS A vari	ety of antennas ensure th	e best possible reception wherever you oper	ate. Choose from a	ntennas with int	egrated GPS to	o standalone RF	antennas.
MOBILE RADIOS	UHF ANTENNAS	DESCRIPTION	PART NUMBER	UHF / VHF / (800/900 MHz)	FREQUENCY BAND (MHz)	INTEGRATED GPS	MOUNTING STYLE
<b>COMBINATION G</b>	PS/UHF ANTENNAS						
		Combination GPS/UHF 403-430 MHz, 1/4 Wave, Through-hole Mount, BNC	PMAE4035	UHF	403-430	•	Through- hole
		Combination GPS/UHF 406-420 MHz, 3.5 dB Gain, Through-hole Mount, BNC	PMAE4036	UHF	406-420	•	Through- hole
DM4000 DM4000e SERIES	00 F	Combination GPS/UHF 450-470 MHz, 1/4 Wave, Through-hole Mount, BNC	PMAE4037	UHF	450-470	•	Through- hole
SERIES	100	Combination GPS/UHF 450-470 MHz, 5 dB Gain, Through-hole Mount, BNC	PMAE4038	UHF	450-470	•	Through- hole
DM3000	00 E	Combination GPS/UHF 470-494 MHz, 3.5 dB Gain, Through-hole Mount, BNC	HAE6025	UHF	470-494	•	Through- hole
SERIES	· · · ·	Combination GPS/UHF 494-512 MHz, 3.5 dB Gain, Through-hole Mount, BNC	HAE6023	UHF	494-512	•	Through- hole
		Combination GPS/UHF 403-527 MHz, 2 dB Gain, Through-hole Mount, BNC	HAE6017	UHF	403-527	•	Through- hole
		Combination GPS/UHF 470-527 MHz, 1/4 Wave, Through-hole Mount, BNC	HAE6018	UHF	470-527	•	Through- hole



FREQUENCY BAND: Most antennas only cover a portion of a frequency band. Our wideband UHF and VHF antennas offer coverage across the entire band, enhancing your integrated into the RF antenna. communication flexibility.

**INTEGRATED GPS:** To support GPS capability in the radio, the GPS antenna is integrated into the RF antenna.

		FEATURES			
	PART NUMBER	UHF / VHF / (800/900 MHz)	FREQUENCY BAND (MHz)	INTEGRATED GPS	MOUNTING STYLE
4	RAD4219	VHF	136-144	•	Through- hole
1/4	RAD4220	VHF	146-150.8	•	Through- hole
1/4	RAD4221	VHF	150.8-162	•	Through- hole
4	RAD4222	VHF	162-174	•	Through- hole
	PMAN4000	N/A	N/A	•	Fixed
	PMAN4001	N/A	N/A	•	Glass
	PMAN4002	N/A	N/A	•	Magnetic
	PMAN4003	N/A	N/A	N/A	Through- hole
	PMAN4004	N/A	N/A	N/A	Through- hole



For more information on Motorola Solutions accessories, visit **motorolasolutions.com/mototrbo**.

#### Motorola Solutions Australia Pty Ltd

MOTOROLA, MOTO, MOTOROLA SOLUTIONS and the Stylised M Logo are trademarks or registered trademarks of Motorola Trademark Holdings, LLC and are used under license. All other trademarks are the property of their respective owners. © 2016 Motorola Solutions, Inc. All rights reserved. BTB/MA789_MOTOTRBO_Accessories_08/16



MOTOROLA SOLUTIONS